Index

Power Reactor Technology

Volumes 4-6

Included in this issue is a cumulative index for Volumes 4 to 6 of *Power Reactor Technology*. An index for this quarterly is prepared annually and appears in the final (Number 4) issue. In this index the bold numbers denote volumes, the numbers in parentheses denote issues, and the other numbers denote pages.

A

A-nickel alloy, corrosion by carbon monoxide, carbon monoxide–carbon dioxide systems, and carbon monoxide–hydrogen systems, **4**(3): 43-4
  fuel-element applications, **5**(1): 82
A1W Reactor
  See Reactors (A1W)
Accidents, Los Alamos Scientific Laboratory, criticality accident, August 1945, **4**(2): 29
  loss-of-coolant, **4**(1): 38-9
  Oak Ridge National Laboratory criticality accident, May 1954, **4**(2): 29
  Y-12 Plant criticality accident, June 1958, **4**(2): 29
Acetone, reactions with uranium carbides, **4**(1): 47
Acids, reactions with uranium carbides, **4**(1): 47
Activated charcoal
  See Charcoal (activated)
Activation, in boiling-water reactors, **6**(4): 94-6
ADONIS computer code, shields, duct design, **5**(3): 29
Advanced Gas-Cooled Reactor
  See Reactors (Advanced Gas-Cooled) (UK)
Advanced Organic-Moderated Reactor
  See Reactors (Advanced Organic-Moderated)
Advanced Sodium Graphite Reactor
  See Reactors (Advanced Sodium Graphite)
AEC report to the President, **6**(2): 1-4
Age-diffusion kernels, **6**(2): 10
AGN-201 M Reactor
  See Reactors (AGN-201)
AGR Reactor (UK)
  See Reactors (Advanced Gas-Cooled) (UK)
AHFR
  See Reactors (Argonne High-Flux) (AHFR)
Air, reactions with uranium carbides, **4**(1): 46-7
  swirl flow, **6**(1): 21-2
Air-water systems, flow, **5**(3): 19-20
AISI 406 alloy, nuclear superheater applications, **5**(4): 38
Alco Products Critical Facility
  See Reactors (Alco Products Critical Facility)
Alkalies, reactions with uranium carbides, **4**(1): 47
Allis-Chalmers Manufacturing Company, nuclear superheater research, **4**(3): 82
Alpha radiation
  See Radiation (alpha)
ALPR
  See Reactors (SL-1)
Aluminum, compatibility with steel, **4**(1): 1-2
  corrosion, **4**(1): 2; **4**(3): 5-6; **5**(3): 32-3; **5**(4): 40
  criticality effects of tubes, **4**(2): 11
  reactions with uranium carbides, **4**(1): 45
Aluminum alloys, corrosion, **4**(1): 2; **5**(3): 33; **6**(2): 53; **6**(4): 95
  radiation effects, **5**(1): 70
Aluminum-iron alloys, corrosion, **5**(3): 33
  physical properties, **6**(1): 40-1
Aluminum–lithium-6 alloys, reactivity worth, **4**(4): 40
Aluminum-molybdenum-uranium alloys
  See Uranium-molybdenum-aluminum alloys
Aluminum-nickel alloys, corrosion, **5**(3): 33
Aluminum oxide, compatibility with gaseous coolants, **5**(3): 61
Aluminum-plutonium alloys
  See Plutonium-aluminum alloys
Aluminum-silicon systems, corrosion, **5**(3): 33
Aluminum-titanium alloys, corrosion, **5**(3): 33
Aluminum-uranium alloys
  See Uranium-aluminum alloys
Ammonia, hydrazine synthesis from, **4**(3): 1-2
  reactions with uranium carbides, **4**(1): 47
Ammonium citrate process, corrosion of reactor materials, **4**(3): 45
Analytical methods, reactor kinetics, **4**(2): 28-30
Annuli
  See also Tubes
  burnout, **4**(3): 21-4; **5**(2): 16, 18
  cooling with solid-gas systems, **4**(3): 16-17
  forced-convection heat transfer, **4**(2): 13-15
Annuli (eccentric), heat transfer, **6**(2): 18-19
ANP Reactors
  See Reactors (ANP)
ANPP Code Development Program
  See Army Nuclear Power Program Code Development Program
Antimony, shielding applications, **4**(20): 34
APDA Fast-Breeder Reactor
  See Reactors (Enrico Fermi Fast-Breeder)
APPR
  See Reactors (SM-1)
Approach-to-critical experiments, NRU Reactor, **4**(2): 11
APS-1 Reactor (USSR)
  See Reactors (APS-1) (USSR)
Aqueous Homogeneous Suspension Reactor
  See Reactors (HR-2)
Argonne High-Flux Reactor
  See Reactors (Argonne High-Flux) (AHFR)
Argonne Low-Power Reactor
  See Reactors (SL-1)
Argonne National Laboratory, nuclear superheater research, **4**(3): 82-3
Army Nuclear Power Program Code Development Program, **6**(3): 83
Army Package Power Reactor
  See Reactors (SM-1)
ASME Boiler and Pressure Vessel Codes
  See Boiler Codes
ASTM boiler codes
  See Boiler codes
Atomic power
  See Nuclear power
Atomic power plants
  See Power plants (nuclear)
Atomics International, Division of North American Aviation, Inc., nuclear superheater research, **4**(3): 83
Autoradiography, nondestructive testing techniques, **5**(1): 71
AVR Reactor (West Germany)
  See Reactors (AVR) (West Germany)

B

Barytes concretes, shielding properties, **5**(3): 27-8
Benzene, pool boiling, **6**(1): 19-20
  reactions with uranium carbides, **4**(1): 47
Benzene-biphenyl systems, pool boiling, **6**(1): 19-20
BEPO Reactor
  See Reactors (BEPO)
Berkeley Reactors (UK)
  See Reactors (Berkeley) (UK)
Beryllium, corrosion, **5**(2): 48-9; **5**(4): 40; **6**(2): 53
  differential scattering cross sections, **6**(2): 11
  fabrication difficulties, **5**(2): 48, 49-50
  moderating properties, **5**(1): 7-8; **5**(2): 4
  neutron age, **5**(1): 7

Beryllium (Continued)
neutron reflection, 4(3): 10
radiation effects, 4(1): 65; 5(2): 49
reactions with uranium carbides, 4(1): 46
reactor applications, 5(2): 48-50
structural applications, 6(1): 40
Beryllium alloys, development, 6(1): 40
Beryllium-moderated reactors
See Reactors (beryllium-moderated)
Beryllium oxide, compatibility with gaseous coolants, 5(3): 61
differential scattering cross sections, 6(2): 11
moderating properties, 5(1): 7-8; 5(2): 4
neutron age, 5(1): 6-7
neutron-reflecting properties, 5(2): 4
radiation effects, 6(1): 38-40
Beryllium oxide–uranium oxide systems
See Uranium dioxide–beryllium oxide systems
Beryllium-uranium alloys
See Uranium-beryllium alloys
Bibliographies, fissile materials, handling, storage, and safety, 5(3): 8
nuclear superheater materials, 5(4): 38
pressure drop, 5(4): 24
shielding, 5(4): 28
Big Rock Point Power Reactor
See Reactors (Big Rock Point Power)
Biphenyl, chemical structure, 6(1): 64
moderating properties, 5(1): 7-8
pool boiling, 6(1): 19-20
stability under reactor conditions, 6(3): 70-2
Biphenyl-benzene systems
See Benzene-biphenyl systems
Biphenyl, isopropyl, stability under reactor conditions, 6(3): 70-2
Biphenyl-uranium lattices
See Uranium-biphenyl lattices
Bismuth, reactions with uranium carbides, 4(1): 46
Blankets
See Breeding blankets
Blast protection, 6(3): 1-3
Blast-resistant structures
See Structures (blast-resistant)
BN-50 Reactor (USSR)
See Reactors (BN-50) (USSR)
Bohunice Reactor (Czechoslovakia)
See Reactors (Bohunice) (Czechoslovakia)
Boiler codes, ASME boiler and pressure vessel codes and specifications, 4(2): 44-8; 6(3): 41-3
ASTM specifications for reactor pressure vessels, 4(4): 50-1
British specifications for reactor pressure vessels, 4(4): 51-4
Boilers
See Steam generators
Boiling
See also Bubbles
bubble formation, 4(2): 26; 5(4): 25
bubble growth, 5(3): 13-15
Boiling, burnout, 4(3): 21-4; 4(4): 25-8; 5(1): 17-21; 5(2): 10-12, 15-19; 5(3): 15-18; 6(1): 16-18; 6(2): 20-24; 6(4): 58-60
convection, 6(4): 58
fluid flow, 6(4): 55-60
heat transfer, 4(2): 15-18; 4(3): 24-6; 5(1): 12-17; 5(4): 24-26; 6(2): 19-25; 6(4): 55-60
from fuel elements (plates), 5(1): 24-30
songs, in rectangular channels, 4(1): 29
stability, 5(4): 26
transient experiments, 4(2): 26-7
void fractions, 5(4): 24-6
Boiling (bulk), heat transfer with terphenyl, 4(4): 82
Boiling (film), 6(2): 25
Boiling (local), heat transfer, 5(2): 11-12
Boiling (nucleate), departure from, 4(1): 27-9; 4(3): 24-5; 5(1): 13-14, 18; 5(2): 15-17; 6(1): 19-20; 6(4): 86
heat transfer, 4(1): 27-9; 5(2): 11
with terphenyl, 4(4): 82
hydrodynamic factors, 4(3): 25
in spray cooling, 4(4): 22
subcooled, in forced convection, 6(1): 15-16
Boiling (pool), 5(3): 13-15; 5(4): 26; 6(1): 19-21
Boiling (transient), 5(3): 18
Boiling heavy-water reactors
See Reactors (boiling heavy-water)
Boiling Reactor Experiments
See Reactors (BORAX)
Boiling songs, in rectangular channels, 4(1): 29
Boiling-water reactors
See Reactors (boiling-water)
BONUS Reactor
See Reactors (BONUS)
Boral, evaluation for control applications, 6(3): 82
shielding properties, 4(2): 36
BORAX Reactors
See Reactors (BORAX)
Borides
See also specific borides
corrosion, 4(4): 42-3, 44
radiation effects, 4(4): 42-3, 44
Boron, corrosion-inhibition effects, 5(4): 40
corrosion by steam, 4(4): 44
radiation effects, 4(4): 44
reactivity-worth burnup, 4(4): 41
solubility in boiling water, 4(4): 43
Boron-10, evaluation for reactor control, 6(2): 48-9
Boron carbide–dysprosium oxide systems, evaluation for control applications, 6(3): 82
Boron carbide–nickel systems, evaluation for reactor control, 6(2): 49
Boron carbides, control rods, lifetime, 5(3): 34
corrosion by steam, 4(4): 44
radiation effects, 4(4): 44
reactivity worth, 4(4): 40, 41
solubility in boiling water, 4(4): 43
Boron carbides (B_4C), evaluation for control applications, 6(3): 82
Boron glass, reactivity worth, 4(4): 40
Boron nitrides, corrosion by steam, 4(4): 44
solubility in boiling water, 4(4): 43
Boron oxides (B_2O_3), evaluation for control applications, 6(3): 82
Boron–stainless-steel systems
See also stainless steel (boron)
failure in control rods, 4(4): 43, 45-6
poisoning properties, 4(2): 10
Boron steel
See Steel (boron)
Boundary layer, heat-transfer effects, 4(2): 16-17
BR-2 Reactor
See Reactors (BR-2) (Belgium)
BR-3 Reactor
See Reactors (BR-3) (Belgium)
BR-5 Fast Reactor
See Reactors (BR-5) (USSR)
BR-5 Reactor (USSR)
See Reactors (BR-5) (USSR)
Bradwell Reactors (UK)
See Reactors (Bradwell) (UK)
BREACH computer code, 5(1): 20
Breeder reactors
See Reactors (breeder)
Breeding, 4(1): 5-9
factors in U^{238}-Pu^{239} systems, 4(4): 91-4
in nuclear superheaters, 4(3): 83
uranium carbides, ratios, 4(1): 51-2
uranium-molybdenum alloys, 4(1): 51-2
Breeding blankets, analysis of irradiated, 5(1): 1
Experimental Breeder Reactor I, 5(2): 25-6
plutonium buildup, 5(4): 67
Breeding-blanket elements (rods), radiation-effects studies, 5(4): 18-19
Bromine, reactions with uranium carbides, 4(1): 47
Bubbles
See also Boiling
formation, 4(3): 24; 5(4): 25
in boiling in SPERT reactors, 5(1): 24-30
by nucleation, 4(2): 26
growth, 5(3): 13-15
Bulk Shielding Reactors
See Reactors (Bulk Shielding Facility)
Burners, for high-boiling fractions from Piqua Power Reactor, 4(2): 83-4
Burnout, 4(3): 17-24; 4(4): 25-8; 5(1): 17-20; 5(3): 15-18; 6(2): 20-4; 6(3): 5
boiling effects, 6(1): 16-18
boiling water, 5(2): 10-12, 15-19; 6(4): 58-60
BORAX-I Reactor, 4(1): 38
correlation of factors, 6(1): 18-19
effect of flow and pressure drop, 4(2): 18
free convection conditions, 4(2): 17-18
in two-phase flow, 6(3): 10
metals (liquid), 6(4): 54-5
pressurized-water reactors, 5(1): 11-12
SPERT-I Reactor, 4(1): 38
TREAT Reactor, 4(1): 40-1
Burnup, plutonium-thorium fuels, 5(1): 2
Butterfly valves
See Valves (butterfly)
Byeloyarsk Reactor (USSR)
See Reactors (Byeloyarsk) (USSR)

C

Cables (coaxial)
See Coaxial cables
Cadmium, corrosion by water, 6(2): 53
evaluation for control applications, 6(3): 82
flux hardening effects, 4(1): 11-12
neutron absorption, 5(1): 4
reactivity-worth burnup, 4(4): 41-2
Cadmium-covered gold foils
See Foils (gold, cadmium-covered)
Cadmium-indium-silver alloys, control-rod applications, 4(3): 48-50
reactivity-worth burnup, 4(4): 42
Cadmium-indium-silver alloys (silver-plated), corrosion in Yankee Power Reactor, 6(4): 82
Cadmium ratios, 5(2): 2
Cadmium-silver alloys, evaluation for control applications, 6(3): 82
reactivity worth, 4(4): 40
Cadmium tantalates ($Cd_2Ta_2O_7$), evaluation for reactor control, 6(2): 49
Calandria, sodium graphite reactors, 4(3): 88, 89-91
Calcium boride (CaB_6), corrosion by steam, 4(4): 44
radiation effects, 4(4): 44
solubility in boiling water, 4(4): 43
Calcium oxide–uranium dioxide–zirconium oxide systems
See Uranium oxide–calcium oxide–zirconium oxide systems (UO_2-CaO-ZrO_2)
Calder Hall Reactors (UK)
See Reactors (Calder Hall) (UK)
Canada, coal reserves, 4(2): 1-2
CANDU Reactor (Canada)
See Reactors (CANDU) (Canada)
Canned moderators
See Moderators (canned)
Carbon, compatibility with gaseous coolants, 5(3): 61
criticality effects, 5(2): 1
moderating properties, 5(1): 7-8
removal from sodium (liquid), 5(4): 74
Carbon oxide–hydrogen systems (CO-H_2), corrosion of A-nickel, chromium-molybdenum steel, copper, Inconel, Inconel 702, Inconel X, molybdenum, Monel, niobium, niobium-titanium alloys, niobium-zirconium alloys, and stainless steel, 4(3): 43-4

Carbon oxide–hydrogen systems ($CO-H_2$) (Continued)
corrosion inhibition applications, 4(3): 44-6
Carbon oxides (CO), compatibility with ceramic fuel elements, 5(3): 61
corrosion, of A-nickel, chromium-molybdenum steel, copper, Inconel, Inconel 702, Inconel X, molybdenum, Monel, niobium, niobium-titanium alloys, niobium-zirconium alloys, and stainless steel, 4(3): 43-4
of iron alloys, 4(3): 43
of nickel alloys, 4(3): 43
removal from helium, 5(4): 78
Carbon oxides (CO_2), corrosion, of beryllium, 5(2): 48-9
of iron alloys, 4(3): 43
of nickel alloys, 4(3): 43
reactions with uranium carbides, 4(1): 47
Carbon oxides (CO_2) (supercritical), heat transfer, 5(3): 20
Carbon oxides ($CO-CO_2$ systems), corrosion of A-nickel, chromium-molybdenum steel, copper, Inconel, Inconel 702, Inconel X, molybdenum, Monel, niobium, niobium-titanium alloys, niobium-zirconium alloys, and stainless steel, 4(3): 43-4
Carbon steel
See Steel (carbon)
Carbon tetrachloride, reactions with uranium carbides, 4(1): 47
Carbon-uranium systems
See Uranium-graphite systems
Carbonic acid, corrosion of aluminum, 4(3): 46
Carborundum
See Silicon carbide
Carolinas-Virginia Reactor
See Reactors (Parr Shoals Power) (CVTR)
Carrier Vessel Reactor
See Reactors (A1W)
Centrifugal pumps
See Pumps (centrifugal)
Ceramic fuel elements
See Ceramic materials; Fuel elements (ceramic)
Ceramic materials
See also Fuel elements (ceramic); specific materials, e.g., Uranium oxides (UO_2)
emittance, 5(4): 26
uranium oxide–calcium oxide–zirconium oxide systems (UO_2-CaO-ZrO_2), 5(1): 67
Cesium chloride–lithium chloride–rubidium chloride–sodium chloride systems, fuel cell applications, 4(3): 2
CETR
See Reactors (Indian Point Power) (CETR)
Channels
See also Tubes
void static distribution in boiling, 4(2): 28
Channels (circular), hydrodynamic characteristics, 4(1): 59
superheated-steam heat transfer, 4(2): 20
Channels (fuel), spacing measurement methods, 4(1): 32
temperature determination methods, 4(1): 30
Channels (rectangular), boiling songs, 4(1): 29
burnout, 4(3): 17-21
flow distribution determination, steady state, 4(1): 32
friction factors, 6(2): 18-19
heat transfer, 4(2): 19-20; 5(1): 11
Channels (square), hydrodynamic characteristics, 4(1): 59
Chapelcross Reactors
See Reactors (Chapelcross) (UK)
Charcoal (activated), iodine adsorption, 6(3): 20-1
Chemonuclear reactors
See Reactors (chemonuclear)
Chlorine, inhibition of graphite oxidation, 5(3): 66
reactions with uranium carbides, 4(1): 47
Chromium, cooling with mercury, 4(3): 15
Chromium-molybdenum steel
See Steel (chromium-molybdenum)
CHRONOS computer code, 5(1): 7
Circular fuel channels
See Channels (circular)
Circulation systems, Experimental Organic-Cooled Reactor, 5(1): 90-1
CNSG
See Reactors (Consolidated Nuclear Steam Generator) (CNSG)
Coal, Canadian reserves, 4(2): 1-2
European reserves, 4(2): 1-2
U. S. reserves, 4(2): 1-3
Coal-fired power plants
See Power plants (conventional)
Coaxial cables, 4(4): 36
COD (S-4) process, corrosion of reactor materials, 4(3): 45
reactor decontamination, effectiveness, 4(3): 45
Coextrusion, stainless steel with Zircaloy, 6(2): 51-3
Columbium
See Niobium
Combustion Engineering–General Nuclear Engineering Corp., nuclear superheater research, 4(3): 76-82
Commonwealth Edison Reactor
See Reactors (Dresden Power)
Compaction, fuel elements, 5(1): 63
Computer codes, ADONIS, 5(3): 29
BREACH, 5(1): 20
CHRONOS, 5(1): 7
CORN PONE, 5(1): 7
DSN, 6(4): 47
EXCEL, 6(4): 40
FORTRAN, 5(4): 19; 6(4): 47
FUGUE, 5(1): 20
HERESY-I, 6(2): 9
IDIOT, 5(3): 7
LEAP, 6(4): 47
MAC, 6(3): 84
MELEAGER CHAIN, 5(4): 9
MUFT, 5(1): 1; 5(2): 2, 4, 6
PIXMIX, 6(4): 47
PIXSE, 6(4): 47
SNG, 6(4): 40, 47
SOFOCATE, 5(1): 1; 5(2): 2, 4, 6
SPAN-3, 5(4): 28
SWAKRAUM, 6(4): 40
THERMOS, 5(4): 16; 6(4): 40
Concrete
See also specific types of concrete, e.g., Limonite, etc.
shielding applications, 5(3): 27-8
shielding properties, at elevated temperatures, 4(2): 34-5
water loss effects on, 4(2): 35
Concrete (prestressed), pressure-vessel design, 5(4): 78-80
Condensation, steam, 5(3): 18-19
Conduction (thermal)
See Thermal conductivity
Conferences, Fifth National Heat Transfer Conference and Exhibit, Houston, Tex., Aug. 5–8, 1962, 6(1): 15-25
IAEA Symposium on Power Reactor Experiments, Vienna, Oct. 1961, 5(4): 87-92
International Heat Transfer Conference, University of Colorado, Boulder, Aug. 28–Sept. 1, 1961, 5(3): 12-26
Reactor Kinetics Conference, Sun Valley, Idaho, Oct. 12–14, 1960, 4(2): 22-30
Symposium on Sodium Reactors Technology, Lincoln, Nebr., May 24–25, 1961, 6(1): 60
Consolidated Edison reactors
See Reactors (Indian Point Power) (CETR); Reactors (Ravenswood Power)
Consolidated Edison Thorium Reactor
See Reactors (Indian Point Power) (CETR)
Consolidated Nuclear Steam Generator
See Reactors (Consolidated Nuclear Steam Generator) (CNSG)
Construction practices, 4(2): 44-51
Consumers Power Reactor
See Reactors (Big Rock Point Power)
Containment, 4(2): 31-3; 5(1): 33-6; 5(2): 51-5
Dresden Power Reactor, 4(4): 66-7
Elk River Power Reactor, 5(2): 44-6
heat transfer after cooling-system rupture, 4(2): 31-2
Indian Point Power Reactor, 6(3): 39
iodine removal from building, 5(4): 29-33
N. S. *Savannah* Reactor, 6(1): 54
Parr Shoals Power Reactor, 6(4): 79-81
Piqua Power Reactor, 5(4): 59-60
Peach Bottom Power Reactor, 5(3): 62-3
pressure suppression, 4(2): 32-3
Ravenswood Power Reactor, 6(3): 21-6
SPERT-III Reactor, 5(3): 85
Yankee Power Reactor, 4(3): 55
Control
See also Control rods
Dresden Power Reactor, 4(4): 61, 62-3, 67
Hallam Power Reactor, 5(3): 50-1
Indian Point Power Reactor, 6(3): 32, 33, 34, 39-40
sodium graphite reactors, 4(3): 92-3
Yankee Power Reactor, 4(3): 53-4, 55
Control materials, 4(4): 39-46; 6(2): 48-9; 6(3): 15-16
evaluation, 6(3): 82
Control-rod drives
Indian Point Power Reactor, 6(3): 35-6
N. S. *Savannah* Reactor, 6(1): 50-2
Control rods, boiling-water reactors, 4(3): 87
cadmium, 5(1): 4
cadmium-indium-silver alloys, 4(3): 48-51
design, for Dresden Power Reactor, 4(4): 46, 59; 5(3): 34
for Nuclear Steam Generator 630A, 6(4): 109
for Parr Shoals Power Reactor, 6(4): 66, 81
Elk River Power Reactor, 5(2): 35, 38
failure, of boron–stainless-steel systems, 4(4): 45-6
in experimental Boiling-Water Reactor, 4(4): 45-6
gadolinium oxide–samarium oxide, 5(3): 42-3
Hallam Power Reactor, design, 5(3): 42-3
Indian Point Power Reactor, 6(3): 68
lifetime, 5(3): 34
N. S. *Savannah* Reactor, 6(1): 47
nuclear superheaters, 4(3): 79, 82
Organic-Moderated Reactor Experiment, 4(4): 45
Pathfinder Power Reactor, 5(2): 46-7
Piqua Power Reactor, 5(4): 52-4
PM-1 Reactor, 6(3): 46
Shippingport Pressurized-Water Reactor, 4(4): 45
sodium graphite reactors, 5(4): 74-5
Sodium Modular Reactor, 4(3): 93, 95
Spectral Shift Control Reactor, 5(4): 84
Vallecitos Boiling-Water Reactor, 4(4): 45
Yankee Power Reactor, 4(3): 48-50; 6(4): 82
Control systems, Elk River Power Reactor, 5(2): 40-1, 46
Convection (forced), in annuli, 4(2): 13-15
burnout, 4(3): 24
coefficients in superheated steam, 4(2): 19
heat transfer, 5(3): 22; 5(4): 25-6; 6(2): 18-19
in spray cooling, 4(4): 22
subcooled nucleate boiling, 6(1): 15-16
under boiling conditions, 6(4): 58
Convection (free), 5(3): 24-5
boiling heat transfer, 4(2): 17
burnout, 4(2): 17-18; 4(3): 17-21
Conventional power plants
See Power plants (conventional)

Coolant flow
See also Fluid flow; Gas flow; Liquid flow; Slurry flow; Steam flow
boiling-water reactors, **5**(2): 14-15
BONUS Reactor, **4**(3): 72-82
Experimental Breeder Reactor I, **5**(2): 25-6
organic-cooled and -moderated reactors, **4**(1): 59
Pathfinder Power Reactor, **4**(3): 82
Piqua Power Reactor, **5**(4): 55
Shippingport Pressurized-Water Reactor, **6**(3): 49-50
sodium graphite reactors, **4**(3): 90
Sodium Modular Reactor, **4**(3): 93, 94
SPERT reactors, **5**(1): 28-30; **5**(2): 24
supercritical water reactors, **4**(2): 79-80
Coolant purification, **4**(3): 44-6
Elk River Power Reactor, **5**(2): 43
Piqua Power Reactor, **5**(4): 56-7
sodium (liquid), **5**(3): 48
Coolant radioactivity, control in Shippingport Pressurized-Water Reactor, **5**(4): 69-70
Experimental Boiling-Water Reactor, **4**(3): 65-9
Sodium Reactor Experiment, **5**(4): 73
Coolants, contamination, **5**(3): 62-3; **5**(4): 30
radioactivity induction, **5**(4): 43-6
sodium (liquid), **5**(3): 46, 48; **5**(4): 73-5
Coolants (gaseous), compatibility with ceramic fuel elements, **5**(3): 61
helium, **4**(1): 63; **5**(3): 67-8; **5**(4): 76-8
nitrogen, **5**(4): 26
temperature measurement, **5**(3): 65-6
Coolants (organic), **6**(1): 62-73
decomposition in Organic-Moderated Reactor Experiment, **4**(4): 76, 80
pool boiling, **6**(1): 19-20
purification, **4**(2): 82-3; **6**(3): 70
in reactors, **6**(2): 57-9
Santowax OM, **5**(3): 57
Santowax OMP, **5**(1): 88; **5**(3): 57
Santowax R, **5**(1): 88; **5**(3): 52-6, 57
stability under reactor conditions, **4**(4): 76, 79, 82; **5**(3): 52-6, 57; **6**(3): 70-2
terphenyls, **5**(3): 57
Cooling (spray)
See Cooling systems (spray)
Cooling systems
See also under specific reactors
deposits, radioactive, **5**(4): 43-6
design modifications in Sodium Reactor Experiment service cooling system, **4**(4): 73
Dresden Power Reactor, **4**(4): 61-2, 63-6
Elk River Power Reactor, **5**(2): 39, 41-3, 44
gas-circulating equipment, **6**(1): 79-80
Hallam Power Reactor, **5**(3): 39, 44-6, 48
Indian Point Power Reactor, **6**(3): 37-8
N. S. *Savannah* Reactor, **6**(1): 52
Parr Shoals Power Reactor, **6**(4): 75-8
Peach Bottom Power Reactor, **5**(3): 62-3
Piqua Power Reactor, **5**(4): 55-6
SPERT-III Reactor, **5**(3): 85-6
Variable-Moderated Reactor, **5**(3): 89
Yankee Power Reactor, **4**(3): 50-2, 54
Cooling systems (spray), **4**(4): 20-5
heat transfer, **5**(1): 12
heat transfer during rupture of pressurized water, **4**(2): 31-2
Copper, cooling with mercury, **4**(3): 15
corrosion by carbon monoxide, carbon monoxide–carbon dioxide systems, and carbon monoxide–hydrogen systems, **4**(3): 43-4
neutron absorption cross section, **4**(1): 19
Copper (chrome-plated), cooling with mercury, **4**(3): 15
Copper–europium hexaboride systems
See Europium hexaboride–copper systems
CORN PONE computer code, **5**(1): 7
Corrosion
See also as subheading under specific corrodants and materials
effects of water on common reactor materials, **6**(2): 53
graphite, **5**(1): 80-1
stainless steel (304), **5**(1): 76-7
stainless steel (304L), **5**(1): 76-7
stress, in stainless steels, **6**(2): 50-1
Zircaloy-2 alloy, **5**(1): 69; **6**(3): 16-17
Corrosion inhibitors, hydrogen peroxide–carbonate solutions, **4**(3): 44-6
Corrosion products
See also Crud
radioactivity, **5**(4): 43-6
Coupled reactors
See Reactors (coupled)
CPC Reactor
See Reactors (Big Rock Point Power)
Critical assemblies
See Reactors (name of critical assembly)
Critical experiments, **4**(3): 4-12; **4**(4): 11-13; **5**(4): 15-18; **6**(1): 3-4; **6**(2): 12-16; **6**(3): 80-3
BR-3 Reactor, **4**(1): 22
High-Temperature Test Facility, **4**(1): 23-4
plutonium-graphite systems, **4**(1): 23
plutonium-Plexiglas systems, **4**(1): 23
Thorium Uranium Physics Experimental Program, **4**(1): 22-3
uranium-zirconium alloys (zirconium-clad), **4**(1): 23-4
uranyl nitrate–water systems, **4**(1): 23
in Yankee Power Reactor, **4**(1): 21-2
Criticality
See also as subheading under specific reactor, alloys, etc.
calculations in heterogeneous reactors, **6**(2): 8-9
Criticality studies, **5**(2): 1-3; **5**(3): 6-8
Hallam Power Reactor, **5**(1): 5-6
Spectral Shift Control Reactor, **5**(1): 5
U^{235}, **5**(1): 6
uranium dioxide (enriched), **5**(1): 4-5
uranium-molybdenum alloys, **5**(1): 5-6
Crud
See also Corrosion products
control with lithium hydroxide, **6**(2): 47-8
deposits in Experimental Boiling-Water Reactor, **6**(4): 95
deposits in Yankee Power Reactor, **6**(4): 82-3

D

Dana Plant, design, **5**(4): 1-5
Dancoff integral, **4**(1): 16
Decontamination, carbon steel, **4**(2): 49
cooling systems, **5**(4): 45-6
helium, **5**(4): 76-8
water in pressurized-water reactors, **4**(3): 44-6
Degassing, Piqua Power Reactor, **5**(4): 56-7
Departure from nucleate boiling, **4**(3): 24; **5**(1): 13-14, 18
burnout correlation, **6**(1): 19-20
heat transfer from horizontal tubes, **4**(1): 27-9
Shippingport Pressurized-Water Reactor, **5**(2): 15-17
Yankee Power Reactor, **6**(4): 86
Destructive testing, fuel-element cladding materials, **5**(1): 69-70
Deuterium oxide
See Heavy water
DIDO Reactor
See Reactors (DIDO)
DIMPLE pile oscillator
See Reactors (DIMPLE)
Diphenyl
See Biphenyl
DNB
See Departure from nucleate boiling
Doppler effect, in thermal reactors, **4**(4): 14-17
Doppler temperature coefficients, **4**(1): 12-14
Dounreay Fast-Breeder Reactor (UK)
See Reactors (Dounreay Fast-Breeder) (UK)
Dowex 1 resin, radiation effects, **5**(4): 48
Dowex 50W resin, radiation effects, **5**(4): 48
Dowtherm A, thermal-neutron diffusion, **4**(1): 16-17
Dragon Reactor
See Reactors (Dragon) (UK)
Dresden Power Reactor
See Reactors (Dresden Power)
DSN computer code, neutron cross-section calculations, **6**(4): 47
Ducts, design for gas-cooled reactors, **4**(1): 65-7
neutron transmission, **6**(3): 86-7
in shields, **5**(3): 29
Dungeness Reactors (UK)
See Reactors (Dungeness) (UK)
Duolite C-10 resin, radiation effects, **5**(4): 48
Dysprosium, reactivity-worth burnup, **4**(4): 42
Dysprosium compounds, evaluation for reactor control applications, **6**(3): 15
Dysprosium oxide, evaluation for control applications, **6**(3): 82
reactivity worth, **4**(4): 41
Dysprosium oxide–boron carbide systems
See Boron carbide–dysprosium oxide systems

E

EBOR
See Reactors (Experimental Beryllium Oxide) (EBOR)
EBR
See Reactors (Experimental Breeder) (EBR)
EBWR
See Reactors (Experimental Boiling-Water)
Economics of nuclear power, **4**(4): 1-10; **5**(4): 1-7; **6**(1): 1-2; **6**(2): 1-4; **6**(3): 1-3
See also specific power reactors
breeding and conversion of nuclear fuels, **6**(4): 1-4
Enrico Fermi Fast-Breeder Reactor fuel-fabrication costs, **4**(4): 93
heavy-water reactors, **4**(2): 62-4, 67, 68, 69-73
Plutonium-Fuel Fast-Breeder Reactor, **4**(4): 94
Plutonium-Fuel Fast-Breeder Reactor fuel-fabrication costs, **4**(4): 93
plutonium-thorium fuel cycle, **5**(1): 1-3
remote power stations, **4**(2): 4-9
seed-blanket reactors, **4**(3): 38-41
sodium graphite reactors, **4**(3): 92
EDF Reactors (France)
See Reactors (EDF) (France)
EFOR
See Reactors (Experimental Fast Oxide) (EFOR)
EGCR
See Reactors (Experimental Gas-Cooled) (EGCR)
EL-4 Reactor
See Reactors (EL-4)
Electromagnetism, nondestructive testing applications, **5**(1): 72-3
Electron microscopy, nondestructive testing applications, **5**(1): 72
Electron radiography, nondestructive testing applications, **5**(1): 71
Elk River Power Reactor
See Reactors (Elk River Power)
ELTHR
See Reactors (Experimental Low-Temperature Process-Heat)
Energy, available from coal, **4**(2): 2-3
available from uranium, **4**(2): 2-3
Engineering Test Reactor
See Reactors (Engineering Test) (ETR)
Enriched uranium
See Uranium (enriched); Uranium (highly enriched)
Enriched uranium dioxide
See Uranium oxides (enriched)

Enrico Fermi Fast-Breeder Reactor
See Reactors (Enrico Fermi Fast-Breeder)
EOCR
See Reactors (Experimental Organic-Cooled) (EOCR)
Epoline-n (boron carbide-impregnated), moderating properties, **4**(3): 5
Erbium, reactivity-worth burnup, **4**(4): 42
Erbium compounds, evaluation for reactor control applications, **6**(3): 15
Erbium oxide, reactivity worth, **4**(4): 40
ESADA Reactor
See Reactors (Vallecitos Experimental Superheat) (VESR)
Ethanol, reactions with uranium carbides, **4**(1): 47
Ethylene glycol, reactions with uranium carbides, **4**(1): 47
swirl flow, **6**(1): 21-2
synthesis from methanol, **4**(3): 1
ETR
See Reactors (Engineering Test)
European coal reserves, **4**(2): 1-2
Europium, reactivity-worth burnup, **4**(4): 42
Europium boride (EuB_6), corrosion by steam, **4**(4): 44
radiation effects, **4**(4): 44
solubility in boiling water, **4**(4): 43
Europium boride–copper systems (EuB_6-Cu), reactivity worth, **4**(4): 39, 40
Europium compounds, evaluation for reactor control applications, **6**(3): 15
Europium titanate, control-rod applications, **6**(3): 46
EXCEL computer code, neutron-flux calculations, **6**(4): 40
Experimental Beryllium Oxide Reactor
See Reactors (Experimental Beryllium Oxide) (EBOR)
Experimental Boiling-Water Reactor
See Reactors (Experimental Boiling-Water)
Experimental Breeder Reactors
See Reactors (Experimental Breeder) (EBR)
Experimental Fast Oxide Reactor
See Reactors (Experimental Fast Oxide) (EFOR)
Experimental Gas-Cooled Reactor
See Reactors (Experimental Gas-Cooled) (EGCR)
Experimental Low-Temperature Process-Heat Reactor
See Reactors (Experimental Low-Temperature Process-Heat)
Experimental Organic-Cooled Reactor
See Reactors (Experimental Organic-Cooled) (EOCR)
Exponential experiments, **4**(4): 11-13; **5**(2): 1-3; **5**(3): 6-8; **5**(4): 15-18; **6**(1): 3-4; **6**(2): 12-16; **6**(3): 80-3
Physical Constants Testing Reactor, **5**(1): 4
Spectral Shift Control Reactor, **5**(1): 5
uranium dioxide lattices, **5**(1): 4-5
Extrusion
See also Coextrusion
fuel elements, **5**(1): 62-3

F

Failed-Element Detection and Location System, Shippingport Pressurized-Water Reactor, **6**(3): 49
Fast-breeder reactors
See Reactors (fast-breeder)
Fast reactors
See Reactors (fast)
FBGR
See Reactors (Fuel-Bearing Graphite) (FBGR)
FEDAL System
See Failed-Element Detection and Location System
Federal regulations, radiation-protection standards, **4**(1): 43-4
Fermi Fast-Breeder Reactor
See Reactors (Enrico Fermi Fast-Breeder)
Ferrophosphorus concrete, shielding properties, **4**(2): 34
at elevated temperatures, **4**(2): 35
Ferrous alloys
See Iron alloys; Stainless steel; Steel; specific iron alloys
Filters, iodine adsorption, **6**(3): 20-1
Finned fuel elements
See Fuel elements (finned)
First Atomic Power Station Reactor
See Reactors (First Atomic Power Station) (USSR)
Fissile materials, bibliographies on handling, storage, and safety, **5**(3): 8
Fission-gas release, BORAX-IV Reactor, **4**(1): 54
Experimental Boiling-Water Reactor, **4**(1): 52-3
Shippingport Pressurized-Water Reactor, **4**(1): 54
temperature effects on rates, **4**(1): 54
from uranium, **4**(1): 54-5
uranium oxide fuel elements, **4**(1): 65
uranium oxide–thorium oxide systems, **4**(1): 52-3
Vallecitos Boiling-Water Reactor, **4**(1): 54
Fission products, contamination of Peach Bottom Power Reactor cooling system, **5**(3): 62-3
decay heating, **5**(3): 28
entrainment in water, **5**(4): 30
Flanges, leaks in Calder Hall Reactors, **4**(3): 69-70
Florida Power Reactor
See Reactors (Florida Power)
Fluid flow, **4**(1): 27-33; **4**(3): 13-28; **4**(4): 19-30; **5**(2): 9-21; **6**(2): 24-5; **6**(4): 54-62
See also Coolant flow; Gas flow; Liquid flow; Slurry flow; Steam flow
effect of rate of burnout, **4**(2): 18; **5**(1): 17-18, 19; **5**(3): 17
heat-transfer effects on stability, **4**(2): 17
hydrodynamic instability, **4**(2): 27-8
swirl, **6**(1): 21-2
in tubes, **5**(1): 13
Fluid flow (turbulent), boiling-heat transfer, **4**(2): 15-18
Fluid flow (two-phase), **4**(4): 28-9, 31; **6**(4): 57-60
air-water systems, **5**(3): 19-20
boiling heat transfer, **4**(2): 15-18
burnout, **5**(3): 15-18; **6**(3): 10
gas-liquid systems, **5**(1): 13
hydrodynamics, **6**(3): 5-10
pressure drop, **5**(2): 19
slip-velocity determination, **4**(2): 26
stability with boiling, **5**(2): 12-14
steam-water systems, **5**(1): 13
transients, **4**(3): 24
Fluid-fuel reactors
See Reactors (fluid-fuel)
Fluidized-bed reactors
See Reactors (fluidized-bed)
Fluids (supercritical), heat transfer, **5**(3): 20
Fluorine, reactions with uranium carbides, **4**(1): 47
Fluoroscopy, nondestructive testing applications, **5**(1): 71
Foils (gold), neutron-attenuation measurements, **4**(2): 34
Foils (gold, cadmium-covered), neutron-attenuation measurements, **4**(2): 34
Foils (sulfur), neutron-attenuation measurements, **4**(2): 34
Forced convection
See Convection (forced)
FORTRAN computer code, **5**(4): 19; **6**(4): 47
Free convection
See Convection (free)
Freeze seals, Hallam Power Reactor, **4**(2): 60; **4**(4): 55
Friction factors, rectangular channels, **6**(2): 18-19
Fuel alloys
See also fuels
corrosion by water, **6**(2): 53
plutonium-thorium alloys, **5**(1): 1-3
Fuel assemblies
See also Fuel elements
Elk River Power Reactor, **5**(2): 34-5, 38
Hallam Power Reactor, **5**(3): 41-2
hydrodynamic characteristics, **5**(3): 20-2; **5**(4): 24
Indian Point Power Reactor, **6**(3): 29-32, 66-8
Parr Shoals Power Reactor, **6**(4): 63-6
Piqua Power Reactor, **5**(4): 51-2
PM-1 Reactor, **6**(3): 44-6
SPERT-III Reactor, **5**(3): 85
Fuel-Bearing Graphite Reactor
See Reactors (Fuel-Bearing Graphite) (FBGR)
Fuel blankets
See Breeding blankets
Fuel canals, coating in Shippingport Pressurized-Water Reactor, **6**(3): 51
Fuel cells, cesium chloride–lithium chloride–rubidium chloride–sodium chloride systems, **4**(3): 2
in combination with reactors, **4**(3): 2-3
lithium hydride, **4**(3): 2-3
Fuel channels
See Channels (fuel)
Fuel conversion ratio, **4**(1): 5-9
Fuel cycles, **4**(1): 3-10; **4**(3): 38-41; **4**(4): 37-8; **5**(1): 1-3; **5**(3): 1-5; **5**(4): 8-14; **6**(4): 1-37
Fuel development, **4**(2): 38-43
Fuel elements, **5**(1): 54-67
See also Fuel assemblies
Advanced Organic-Moderated Reactor, **4**(1): 61-2
burnup, **4**(1): 61-2
CANDU Reactor, **4**(2): 65-6, 74
comparison of various dispersions, **4**(1): 61
criticality of Puerto Rico Nuclear Center Research Reactor, **4**(3): 7
damage in Sodium Reactor Experiment, **5**(1): 84-7
design for fast-breeder reactors, **4**(4): 84-96
development, **4**(1): 45-56
Enrico Fermi Fast-Breeder Reactor, **4**(1): 51-2
Experimental Gas-Cooled Reactor, **4**(1): 63-5
Experimental Organic-Cooled Reactor, **5**(1): 88-9
exponential experiments in uranium, **4**(2): 10
fabrication costs, **5**(3): 3
fabrication by powder metallurgy, **6**(1): 26-37
Gas-Cooled Reactor Experiment II, **5**(1): 81-2
Hallam Power Reactor, **4**(1): 51
Indian Point Power Reactor, **6**(3): 38-9
melting in fast reactors, **5**(2): 29-31
NPD-2 Reactor, **4**(2): 65
nuclear superheaters, **4**(3): 76-80
organic-moderated and -cooled reactors, **4**(1): 58-62
Peach Bottom Power Reactor, **5**(3): 63-4
Piqua Power Reactor, **4**(1): 58
rupture detection, **5**(4): 47, 49, 56
sodium graphite reactors, **4**(3): 88
spray-cooled reactors, **4**(1): 75-6
temperature-determination methods, **4**(1): 30
thermal conductivity of uranium dioxide, **4**(2): 38-43
uranium-aluminum alloys, **4**(1): 61
uranium-beryllium alloys, **4**(1): 61-2
uranium carbide–plutonium carbide systems, **4**(1): 51
uranium carbides, economic factors, **4**(1): 52

Fuel elements (Continued)
uranium-graphite systems, 4(1): 61-2
uranium-magnesium alloys, 4(1): 61
uranium-molybdenum-aluminum alloy (aluminum-clad, finned), 4(1): 60
uranium-niobium alloys, 4(1): 61-2
uranium oxide, 4(1): 75-8
uranium oxide–thorium oxide systems, radiation effects, 4(1): 52-4
uranium-zirconium alloys, 4(1): 61-2
Variable-Moderator Reactor, 4(1): 77-8
Fuel elements (balls)
See also fuel elements (pellets)
development for Pebble-Bed Reactor Experiment, 6(3): 64
heat transfer, 5(3): 23
Fuel elements (ceramic), compatibility with gases, 5(3): 61
defective, operation of BORAX-IV Reactor with, 6(4): 95-6
uranium oxide–calcium oxide–zirconium oxide systems (UO_2-CaO-ZrO_2), 5(1): 67
Fuel elements (compacted-powder), performance, 6(2): 28-42
Fuel elements (finned), fabrication, 4(1): 60
heat transfer in organic reactors, 4(1): 58
Piqua Power Reactor, 5(4): 51-2
thermal analysis, 6(2): 25
Fuel elements (pellets)
See also Fuel elements (balls)
criticality, 6(3): 80
design for Indian Point Power Reactor, 6(3): 66
sintering of uranium oxide, 6(2): 42-3
thermal conductivity, 5(4): 23
Fuel elements (pins), application in Plutonium-Fuel Fast-Breeder Reactor, 4(4): 94
criticality studies on uranium-molybdenum alloy, 5(1): 5-6
melting in Experimental Breeder Reactor II, 5(2): 30-1
radiation effects, 4(4): 84-5
Fuel elements (plates), application in Plutonium-Fuel Fast-Breeder Reactor, 4(4): 94
buckling measurements on uranium, 4(2): 11-12
burnout, 4(1): 38
development of uranium oxide for, 6(2): 44-5
heat transfer, 4(4): 19-20; 5(1): 24-30
surface-boiling effects of, 5(1): 24
uranium-molybdenum alloys, 4(1): 58
Fuel elements (plates) (enriched) (stainless-steel-clad), reactivity, 5(2): 2
Fuel elements (plutonium), reactivity, 5(2): 6
Fuel elements (ribbed), heat transfer, 5(1): 11-12
Fuel elements (rod-in-tube), buckling measurements, 5(2): 1
Fuel elements (rods), assemblies for Hallam Power Reactor, 5(3): 41-2
boiling burnout, 6(1): 16-18
boiling-water reactors, 4(3): 86-7
bowing in Sodium Reactor Experiment, 6(1): 57-60
buckling measurements on uranium, 4(2): 11-12
buckling measurements on uranium dioxide, 4(2): 11
burnout, 5(1): 18
criticality of plutonium-aluminum alloys, Zircaloy-2-clad, 4(3): 6
criticality studies, 5(4): 16, 17; 6(3): 80
criticality of uranium oxide in heavy water, 6(3): 82
design for consolidated Nuclear Steam Generator, 6(4): 113-14
design for N. S. *Savannah* Reactor, 6(1): 43-7
design of rods and assemblies for Dresden Power Reactor, 4(4): 56-9
Doppler effect, 4(4): 14
Elk River Power Reactor, 5(2): 33-5
failure in Shippingport Pressurized-Water Reactor, 6(3): 55
fast-fission factors, 4(3): 4-5
flux hardening effects, 4(1): 11-12
heat transfer, 4(2): 20; 5(3): 20-2; 5(4): 24
heat transfer by gas, 4(1): 29-30
Indian Point Power Reactor, 6(3): 28-32
neutron resonance, temperature-distribution effects, 5(3): 9
nuclear measurements, 4(3): 5
Sodium Reactor Experiment, 4(4): 73-4; 5(1): 84-7
thermal conductivity, 5(4): 22-3
Fuel elements (rods) (enriched), exponential studies, 5(2): 3
Fuel elements (rods) (enriched) (stainless-steel-clad), reactivity, 5(2): 2-3
thermal conductivity, 5(4): 22-3
Fuel elements (rods) (ThO_2), age to indium resonance in water–heavy-water mixtures, 6(1): 5-6
Fuel elements (rods) ($U^{235}O_2$-ThO_2), exponential experiments, 5(3): 7
Fuel elements (rods) (UO_2), operating transients, 5(2): 22-4
Fuel elements (rods) (UO_2) (Zircaloy-2-clad), buckling, 5(3): 6-7
Fuel elements (rods) (Zircaloy-2-clad), buckling, 5(3): 6-7
radiation effects, 5(4): 41
Fuel elements (slugs), neutron spectra, 5(3): 9-10
Fuel elements (spheres)
See Fuel elements (balls)
Fuel elements (thimbles), sodium graphite reactors, 4(3): 88-9
Sodium Modular Reactor, 4(3): 93-4
Fuel elements (tubes), buckling measurements in hollow, 5(2): 1
burnout, 5(1): 18
criticality studies, 5(4): 17
criticality of uranium oxide, aluminum-clad, 4(3): 4
design for Nuclear Steam Generator 630A, 6(4): 107-9
design for PM-1 Reactor, 6(3): 44
exponential experiments on aluminum-clad, 5(1): 4
Heavy-Water Components Test Reactor, 4(2): 65
nondestructive testing, 6(2): 53
NPD-2 Reactor, 4(2): 64
uranium, aluminum-clad, 5(1): 4
uranium oxide (Zircaloy-2-clad), 4(2): 67-70
uranium-zirconium alloys (Zircaloy-clad), 4(2): 65
Yankee Power Reactor, 4(3): 47-8
Fuel elements (tubes) (UO_2) (Zircaloy-2-clad), buckling studies, 5(2): 3
Fuel elements (uranium), radiation effects, 5(3): 31
Fuel elements (uranium) (enriched), criticality, 5(3): 7
Fuel elements [uranium carbide (UC)], development, 6(2): 43-4
Fuel elements (uranium-molybdenum alloy) (stainless-steel-clad), assemblies for Hallam Power Reactor, 5(3): 41-2
Fuel elements (uranium-molybdenum-aluminum alloy) (aluminum, finned clad), Piqua Power Reactor, 5(4): 51-2
Fuel elements (UO_2), thermal analysis, 6(2): 25
Fuel elements (UO_2) (irradiated), reactivity, 5(2): 6
Fuel elements (UO_2) (stainless-steel-clad), thermal analysis, 5(3): 60-1
Fuel elements (Zircaloy-clad), autoclave testing, 4(2): 49
Fuel handling, Dresden Power Reactor, 4(4): 65-6
Parr Shoals Power Reactor, 6(4): 78-9
Yankee Power Reactor, 4(3): 54-5
Fuel-handling systems, Elk River Power Reactor, 5(2): 43-4
Hallam Power Reactor, 5(3): 49-50
Peach Bottom Power Reactor, 5(3): 64-5
Fuel pins
See Fuel elements (pins)
Fuel plates
See Fuel elements (plates)
Fuel-reprocessing plants, nuclear safety, 4(4): 14
Fuel resources, 4(2): 1-3
Fuel rods
See Fuel elements (rods)
Fuel thimbles
See Fuel elements (thimbles)
Fuel tubes
See Fuel elements (tubes)
Fuel-washing systems, design modifications in Sodium Reactor Experiment, 4(4): 74
Fuels
See also Fuel alloys; Fuel assemblies; Fuel elements
efficient utilization, 6(4): 1-37
FUGUE computer code, 5(1): 20
Furfural, moderating properties, 4(3): 4
Furfuryl alcohol, moderating properties, 4(3): 4

G

G2 Reactor
See Reactors (G2) (France)
G3 Reactor
See Reactors (G3) (France)
Gadolinium, flux hardening effects, 4(1): 11-12
Gadolinium compounds, evaluation for reactor control applications, 6(3): 15
Gadolinium oxide, evaluation for reactor control applications, 6(3): 15-16
thermal conductivity, 6(3): 15-16
Gadolinium oxide–samarium oxide systems, control rods for Hallam Power Reactor, 5(3): 42-3
evaluation for reactor control applications, 6(3): 15-16
thermal conductivity, 6(3): 15-16
Gamma counting, nondestructive testing applications, 5(1): 72
Gamma radiation
See Radiation (gamma)
Gamma spectrometry, nondestructive testing applications, 5(1): 72
Gas-cooled heavy-water reactors
See Reactors (gas-cooled heavy-water-moderated)
Gas-Cooled Reactor Experiments
See Reactors (Gas-Cooled, Experiment) (GCRE)
Gas-cooled reactors
See Reactors (gas-cooled)
Gas disposal, 4(2): 87-8
Gas flow, determination methods, 4(1): 29
duct design, 4(1): 65-7
nitrogen, 5(4): 26
Gas-liquid systems, flow, 5(1): 13
Gaseous diffusion plants, cost factors, 4(1): 3-5
production costs, 5(4): 6
Gases
See also Coolants (gaseous); specific gases
heat transfer, 5(2): 10-12
Gaskets, leaks, 5(3): 37-8
Gas removal, from Piqua Power Reactor, 4(2): 84-8
Gas-solid systems
See Solid-gas systems
GBSR
See Reactors (Graphite-Moderated Boiling and Superheating) (GBSR)
GCRE
See Reactors (Gas-Cooled, Experiment)
General Electric Company, nuclear superheater research, 4(3): 72-5
General Electric 630A Nuclear Steam Generator
See Reactors (Nuclear Steam Generator 630A)

General Electric Test Reactor
See Reactors (General Electric Test)
General Nuclear Engineering Corp.–Combustion Engineering
See Combustion Engineering–General Nuclear Engineering Corp.
Generators (steam)
See Steam generators
Glands, leaks in Calder Hall Reactors, **4**(3): 69-70
Glass (boron)
See Boron glass
Glass beads, thermal conductivity, **5**(3): 22-3
GLEEP Reactor
See Reactors (GLEEP)
Godiva Critical Facility
See Reactors (Godiva Critical Facility)
Godiva Reactors
See Reactors (Godiva)
Gold, foils, **4**(2): 34
neutron-absorption cross section, **4**(1): 19
reactivity worth, **4**(4): 39, 40
Gold-197, resonance integrals, **6**(1): 5
Graphite, corrosion by carbon dioxide, **5**(1): 80-1
dimensional stability, **5**(4): 39
emittance, **5**(4): 26
moderating properties, **4**(3): 6-7; **5**(1): 5-6
moderator assembly for Hallam Power Reactor, **5**(3): 39-41
neutron-absorption cross sections, **4**(1): 19-20
oxidation in gas-cooled reactors, **5**(3): 66-7
radiation effects, **5**(1): 80-1; **5**(4): 39-40
rethermalization properties, **5**(2): 3-4, 5
thermal conductivity, **5**(4): 39-40
thermal expansion, **5**(4): 40
Graphite (pyrolytic), fabrication, **6**(3): 18
Graphite-Moderated Boiling and Superheating Reactor
See Reactors (Graphite-Moderated Boiling and Superheating) (GBSR)
Graphite-moderated reactors
See Reactors (graphite-moderated)
Graphite-plutonium systems
See Plutonium-graphite systems
Graphite systems, nondestructive testing, **5**(1): 71
Graphite-thorium systems
See Thorium-graphite systems
Graphite-uranium systems
See Uranium-graphite systems

H

Hafnium, corrosion by water, **6**(2): 53
evaluation for reactor control, **6**(2): 49
radiation effects, **6**(3): 16
resonance integrals, **6**(2): 7
Hafnium borides (HfB_2), corrosion by steam, **4**(4): 44
radiation effects, **4**(4): 44
solubility in boiling water, **4**(4): 43
Half-fast reactors
See Reactors (coupled)
Hallam Power Reactor
See Reactors (Hallam Power)
Hanford Production Reactors
See Reactors (Hanford Production)
Hanford Test Reactor
See Reactors (Hanford Test)
Hastelloy N alloy, nuclear superheater applications, **5**(4): 38
Hastelloy X alloy, nuclear superheater applications, **5**(4): 38
Hazards
See Safety
Heat exchangers, failure of stainless-steel, **5**(1): 76-7
Hallam Power Reactor, **5**(3): 44-5, 46, 47
Heat exchangers (gas-liquid), once-through, design, **5**(3): 13
Heat transfer, **4**(1): 27-33; **4**(2): 13-21; **4**(3): 13-28; **4**(4): 19-30; **5**(1): 10-21; **5**(2): 9-21; **5**(3): 12-26; **5**(4): 22-7; **6**(1): 15-25; **6**(2): 17-27; **6**(3): 4-11; **6**(4): 54-62
fuel elements (plates), **5**(1): 24-30
mathematical analysis, **4**(3): 26-7
N. S. *Savannah* Reactor, **6**(1): 50
SPERT reactors, **5**(1): 24-30
Heat-Transfer Reactor Experiment 1
See Reactors (Heat-Transfer, Experiment 1) (HTRE-1)
Heaters, feedwater, failure in Shippingport Pressurized-Water Reactor, **5**(4): 69
Heavy free-gas approximation (generalized), **6**(4): 41-5
Heavy water, lattices, resonance absorption of uranium in, **6**(3): 79-80
losses in reactors, **6**(1): 55-6
moderating properties, **5**(1): 7
production costs, **5**(4): 1-5
production-plant design, **5**(4): 1-5
radiolysis in boiling heavy-water reactors, **6**(4): 92-4
recovery in Experimental Boiling-Water Reactor, **4**(2): 59
Heavy-water boiling reactors
See Reactors (heavy-water boiling)
Heavy-Water Components Test Reactor
See Reactors (Heavy-Water Components Test) (HWCTR)
Heavy-water-cooled organic-moderated reactors
See Reactors (organic-cooled heavy-water-moderated)
Heavy-water-moderated reactors
See Reactors (heavy-water-moderated)
Heavy-water–uranium lattices
See Uranium–heavy-water lattices
Heavy-water–uranium oxide lattices
See Uranium oxides (UO_2)–heavy-water lattices
Heavy-water–uranyl nitrate systems
See Uranyl nitrate–heavy-water systems
Heavy-water–water systems, effects on age to indium resonance of thorium oxide rods, **6**(1): 5-6
moderating properties, **5**(1): 5, 7-9
Helium, beryllium corrosion, **5**(2): 48-9
compatibility with ceramic fuel elements, **5**(3): 61
corrosion problems caused by impurities, **4**(3): 43-4
Peach Bottom Power Reactor cooling, **5**(3): 62-3
Prandtl numbers from 270–680°K, **5**(3): 24
purification, **5**(3): 67-8
reactor cooling, **4**(1): 63
technology, **5**(4): 76-8
thermal conductivity, **5**(3): 69
HERESY-I computer code, criticality calculations, **6**(2): 9
Heterogeneous reactors
See Reactors (heterogeneous)
HFIR
See Reactors (High-Flux Isotope) (HFIR)
High-Flux Isotope Reactor
See Reactors (High-Flux Isotope) (HFIR)
High-Temperature Gas-Cooled Reactor
See Reactors (Dragon)
High-Temperature Test Facility
See Reactors (High-Temperature Test Facility)
Hinkley Point Reactors (UK)
See Reactors (Hinkley Point) (UK)
HIPPO
See Reactors (HIPPO) (Canada)
HNPF
See Reactors (Hallam Power)
Homogeneous Reactor Experiments
See Reactors (Homogeneous, Experiment)
Homogeneous reactors
See Reactors (homogeneous)
Horizontal tubes
See Tubes (horizontal)
Hot-channel factors, **4**(1): 30-2
HR-2 Reactor
See Reactors (HR-2)
HTGCR
See Reactors (dragon)
HTGR
See Reactors (Peach Bottom Power)
HTRE
See Reactors (Heat-Transfer, Experiment) (HTRE)
HTTF
See Reactors (High-Temperature Test Facility)
Humboldt Bay Power Reactor
See Reactors (Humboldt Bay Power)
Hunterston Reactors (UK)
See Reactors (Hunterston) (UK)
HWCTR
See Reactors (Heavy-Water Components Test) (HWCTR)
Hydraulic effects, **4**(2): 26-8
Hydrazine, synthesis from ammonia, **4**(3): 1-2
Hydrogen, compatibility with ceramic fuel elements, **5**(3): 61
corrosion, of iron alloys, **4**(3): 43
of nickel alloys, **4**(3): 43-4
moderating properties, **5**(1): 7
reactions with uranium carbides, **4**(1): 47
removal from helium, **5**(4): 78
Hydrogen–carbon monoxide systems
See Carbon oxide–hydrogen systems ($CO-H_2$)
Hydrogen peroxide–carbonate solutions, corrosion inhibition applications, **4**(3): 44-6
Hydrogen sulfide, reactions with uranium carbides, **4**(1): 47
Hydrogen sulfide dual-temperature process, plant design, **5**(4): 1-5

I

IBSHR
See Reactors (Integral Boiling and Superheating) (IBSHR)
IDIOT computer code, **5**(3): 7
IN-102 alloy, nuclear superheater applications, **5**(4): 38
Incoloy alloy, nuclear superheater applications, **5**(4): 38
Inconel alloy, corrosion by carbon monoxide, carbon monoxide–carbon dioxide systems, and carbon monoxide–hydrogen systems, **4**(3): 43-4
corrosion by water, **6**(2): 53
nuclear superheater applications, **5**(4): 38
Inconel 702 alloy, corrosion by carbon monoxide, carbon monoxide–carbon dioxide systems, and carbon monoxide–hydrogen systems, **4**(3): 43-4
Inconel X alloy, corrosion by ammonium citrate process solutions, **4**(3): 45
corrosion by carbon monoxide, carbon monoxide–carbon dioxide systems, and carbon monoxide–hydrogen systems, **4**(3): 43-4
corrosion by sodium bisulfate process solutions, **4**(3): 44
Indian Point Power Reactor
See Reactors (Indian Point Power) (CETR)
Indium, flux hardening effects, **4**(1): 11-12
resonance to neutron age, **5**(1): 8-9
Indium-115, resonance integrals, **6**(1): 5
Indium-cadmium-silver alloys
See Cadmium-indium-silver alloys
Instrumentation, **4**(4): 34-6; **5**(1): 37-53; **5**(2): 61-73
air supply for Hallam Power Reactor, **5**(3): 48
Elk River Power Reactor, **5**(2): 40-1
Hallam Power Reactor, **5**(3): 50-1
Indian Point Power Reactor, **6**(3): 34-5
N. S. *Savannah* Reactor, **6**(1): 52
Parr Shoals Power Reactor, **6**(4): 73-5

Instrumentation (Continued)
Piqua Power Reactor, 5(4): 56
radiation gauges, 5(1): 71
Shippingport Pressurized-Water Reactor, 4(2): 52, 56
Yankee Power Reactor, 4(3): 53-4; 6(4): 83-6
Insulation
See Thermal insulation
Integral Boiling and Superheating Reactor
See Reactors (Integral Boiling and Superheating) (IBSHR)
Integral Nuclear Superheater Reactor
See Reactors (Integral Nuclear Superheater) (ISR)
Iodine, adsorption on filters, 6(3): 20-1
entrainment in water, 5(4): 30
reactions with uranium carbides, 4(1): 47
removal, 5(4): 29-33
Ion-exchange resins, radiation effects, 5(4): 47, 48
Iron, shielding properties, 4(2): 35
Iron alloys, corrosion by carbon oxides, 4(3): 43
corrosion by hydrogen, 4(3): 43
iodine adsorption, 6(3): 20-1
Iron-aluminum alloys
See Aluminum-iron alloys
Iron-nickel-zirconium alloys, corrosion, 5(3): 32
Isopropyl biphenyl, stability under reactor conditions, 6(3): 70-2
ISR
See Reactors (Integral Nuclear Superheater) (ISR)

J

JAPC Reactor (Japan)
See Reactors (JAPC) (Japan)
Jezebel Plutonium Critical Facility
See Reactors (Jezebel Plutonium Criticality Facility)
JPDR Reactor (Japan)
See Reactors (JPDR) (Japan)

K

K-Monel alloy, fuel-element applications, 5(1): 82
Kahl Reactor (West Germany)
See Reactors (Kahl) (West Germany)
KEMA Suspension Test Reactor
See Reactors (KEMA Suspension Test) (KSTR)
Kernels, theoretical scattering laws, 6(4): 49-51
Kerosene, reactions with uranium carbides, 4(1): 47
KEWB
See Reactors (Kinetic Experiment on Water Boilers) (KEWB)
Kinetic Experiment on Water Boilers
See Reactors (Kinetic Experiment on Water Boilers) (KEWB)
Krypton, entrainment in water, 5(4): 30
removal from helium, 5(4): 76

L

Latina Reactor (Italy)
See Reactors (Latina) (Italy)
Lattices, buckling, 6(1): 4
structure in Indian Point Power Reactor, 6(3): 32-3
Laundries, radioactive contamination, 5(4): 49
Lead, reactions with uranium carbides, 4(1): 46
Leak testing, nondestructive testing applications, 5(1): 73
Leaks, Calder Hall Reactors, 4(3): 69-70
Experimental Boiling-Water Reactor, 4(3): 56
LEAP computer code, neutron cross-section calculations, 6(4): 47
Limonite concrete, shielding properties at elevated temperatures, 4(2): 34-5
Liquid-gas systems
See Gas-liquid systems
Liquid-metal-cooled reactors
See Reactors (liquid-metal-cooled)
Liquid-metal pumps
See Pumps (liquid-metal)
Liquid metals
See Metals (liquid)
Lithium-aluminum alloys
See Aluminum-lithium alloys
Lithium chloride–cesium chloride–rubidium chloride–sodium chloride systems
See Cesium chloride–lithium chloride–rubidium chloride–sodium chloride systems
Lithium hydride, fuel cell applications, 4(3): 2-3
Lithium hydroxide, effectiveness in crud control, 6(2): 47-8
Lithium-6–magnesium alloys, reactivity worth, 4(4): 40
Loops, instabilities in boiling pentane, 4(3): 27
Los Alamos Scientific Laboratory, criticality accident, August 1945, 4(2): 29
Loss of coolant, experiments in ZEEP, 4(2): 11
Loss-of-coolant accidents, 4(1): 38-9
Loss of flow, Shippingport Pressurized-Water Reactor, 6(3): 50
Lutetium, flux hardening effects, 4(1): 11-12
reactivity-worth burnup, 4(4): 42

M

MAC computer code, 6(3): 84
Magnesium, corrosion by water, 6(2): 53
Magnesium-lithium alloys
See Lithium-magnesium alloys
Magnesium oxide, compatibility with gaseous coolants, 5(3): 61
Magnesium-uranium alloys
See Uranium-magnesium alloys
Magnetite concrete, shielding properties at elevated temperatures, 4(2): 34
Magnetite limonite concrete, shielding properties at elevated temperatures, 4(2): 34-5
Marine reactors
See Reactors (marine)
Maritime Gas-Cooled Reactor
See Reactors (Maritime Gas-Cooled) (MGCR)
Mass flow
See also Fluid flow
effect on burnout, 5(3): 17
Materials
See specific materials; Reactor materials
Materials Testing Reactor
See Reactors (Materials Testing) (MTR)
McMurdo Sound Reactor
See Reactors (McMurdo Sound)
MELEAGER CHAIN computer code, 5(4): 9
Merchant ships
See Ships
Merchant-vessel reactors
See Reactors (marine)
Mercury, heat transfer, 4(3): 15-17
Metal-water reactions, rates, 4(1): 39-40
Metals (liquid)
See also specific metals and alloys
flow, 6(4): 54-5
flow partitioning with variable orifices, 4(4): 19
heat transfer, 4(3): 15-17; 6(4): 54-5
pumping, 4(2): 59-61
Methane, removal from helium, 5(4): 78
Methanol, ethylene glycol synthesis from, 4(3): 1
MGCR
See Reactors (Maritime Gas-Cooled) (MGCR)
Microradiography, nondestructive testing applications, 5(1): 71
MIT Research Reactor
See Reactors (MIT Research) (MITR)
Mixed-Spectrum Superheater Reactor
See Reactors (Mixed-Spectrum Superheater) (MSSR)
ML-1 Reactor
See Reactors (ML-1)
MLSR
See Reactors (Modified Lynchburg Source) (MLSR)
Moderator tanks, design for Parr Shoals Power Reactor, 6(3): 69-70
Moderators, beryllium, 5(1): 7-8
beryllium oxide, 5(1): 7-8
biphenyl, 5(1): 7-8
carbon, 5(1): 7-8
design for Nuclear Steam Generator 630A, 6(4): 109
experimental power determination, 6(4): 44-5
Hallam Power Reactor, design, 5(3): 39-41
heavy-water, 5(1): 7
heavy-water–water systems, 5(1): 5, 7-9
hydrogen, 5(1): 7
oils, 5(1): 7-8
organic-moderated reactors, power absorption, 5(3): 58
oxygen, 5(1): 7
power calculations, 6(4): 41-5
Spectral Shift Control Reactor, 5(4): 81-2
water, 5(1): 7
Moderators (canned), sodium graphite reactors, 4(3): 89
Sodium Modular Reactor, 4(3): 93, 95
Modified Lynchburg Source Reactor
See Reactors (Modified Lynchburg Source) (MLSR)
Molten-Salt Reactor Experiment
See Reactors (Molten-Salt, Experiment) (MSRE)
Molybdenum, corrosion by carbon oxides, 4(3): 43-4
corrosion by carbon monoxide–hydrogen systems, 4(3): 43-4
reactions with rare earths, 6(3): 15
reactions with uranium carbides, 4(1): 46
Molybdenum-aluminum-uranium alloys
See Uranium-molybdenum-aluminum alloys
Molybdenum-silicon-uranium systems
See Uranium-molybdenum-silicon systems
Molybdenum-uranium alloys
See Uranium-molybdenum alloys
Molybdenum-zirconium alloys, reactions with water, 4(1): 40-1
Monel alloys, corrosion by ammonium citrate process solutions, 4(3): 45
corrosion by carbon dioxide–carbon monoxide systems, carbon monoxide, and carbon monoxide–hydrogen systems, 4(3): 43-4
MSRE
See Reactors (Molten-Salt, Experiment) (MSRE)
MSSR
See Reactors (Mixed-Spectrum Superheater) (MSSR)
MTR
See Reactors (Materials Testing) (MTR)
MUFT computer code, 5(2): 2, 4, 6
blanket-element composition determination, 5(1): 1
Multiregional Reactor Lattice Studies Program, 5(1): 4-5; 5(2): 2

N

NaK
See Sodium-potassium alloys (liquid)
Natural convection
See Convection (free)
Neptunium-239, neutron cross sections, **5**(2): 7
Neuglobsow Reactor (East Germany)
See Reactors (Neuglobsow) (East Germany)
Neutron absorption
See Control; Poisoning
Neutron activation distribution measurements, High-Temperature Test Facility, **4**(1): 23-4
uranium-zirconium alloys (zirconium-clad), **4**(1): 23-4
Neutron age, beryllium, **5**(1): 7
beryllium oxide, **5**(1): 6-7
indium resonance to, **5**(1): 8-9
tables, **5**(1): 7
Neutron cross sections, **5**(2): 4, 6-7
computer codes for calculating, **6**(4): 47
differential scattering, **6**(2): 11-12
formulation of scattering law, **6**(4): 48-9
Neutron economy, in heavy-water reactors, **4**(2): 64
Neutron radiation
See Radiation (neutron)
Neutron rethermalization cross sections, **5**(2): 3-4, 5
Neutron-scattering law, experiments and theory, **6**(1): 6-10
Neutron spectrum, application of scattering law to calculations, **6**(1): 9-10
measurements, **6**(1): 10-13
Neutron thermalization experiments, **6**(1): 6-14
Neutrons, absorption, theory, **6**(2): 5-7
attenuation in zirconium, **4**(4): 36
background source in new reactors, **4**(1): 17-19
penetration through iron slabs, **4**(2): 35
production per fission of U^{235} in U^{238}, average, **4**(1): 19
reflection by beryllium, **4**(3): 10
scattering-law formulation, **6**(4): 46-9
spectra in uranium-graphite lattices, **5**(3): 9-10
spectrum hardening by absorption, **6**(4): 46
transport equation, **6**(4): 39-41
Neutrons (fast), transmission in ducts, **6**(3): 86-7
Neutrons (thermal), calculation, beyond reactor core, **6**(3): 83-4
capture spectra, **4**(2): 34
comparison of spectrum calculations with experiment, **6**(4): 47-8
diffusion, in Dowtherm A, **4**(1): 16-17
in water, **4**(1): 16-17
flux-spectrum calculations in polyethylene, **6**(4): 50-1
penetration through boral, **4**(2): 36
transmission in ducts, **6**(3): 86-7
New Production Reactor
See Reactors (New Production)
Nichrome V alloy, reactions with uranium carbides, **4**(1): 46
Nickel, coatings, nondestructive testing of, **5**(1): 71
cooling with mercury, **4**(3): 15
Nickel (chrome-plated), cooling with mercury, **4**(3): 15
Nickel alloys
See also specific nickel alloys
corrosion, by carbon oxides, **4**(3): 43
by hydrogen, **4**(3): 43
Nickel-aluminum alloys
See Aluminum-nickel alloys
Nickel–boron carbide systems
See Boron carbide–nickel systems
Nickel-iron-zirconium alloys, corrosion, **5**(3): 32
Niobium, corrosion, **4**(3): 43-4; **6**(2): 53
reactions with uranium carbides, **4**(1): 46
Niobium alloys, corrosion, **5**(3): 31-2
Niobium oxides (Nb_2O_5), compatibility with gaseous coolants, **5**(3): 61
Niobium-titanium alloys, corrosion by carbon oxides and carbon oxide–hydrogen systems, **4**(3): 43-4
reactions with uranium carbides, **4**(1): 46
Niobium-uranium alloys
See Uranium-niobium alloys
Niobium-vanadium alloys, corrosion, **5**(3): 32
Niobium-zirconium, corrosion by carbon oxides and carbon oxide–hydrogen systems, **4**(3): 43-4
Nionel alloy, nuclear superheater applications, **5**(4): 38
Nitric acid process, corrosion of reactor materials, **4**(3): 45
Nitrogen, heat transfer, **5**(4): 26
reactions with uranium carbides, **4**(1): 46-7
Nondestructive testing, **5**(1): 71-3
fuel-element cladding materials, **5**(1): 69
Zircaloy tubing, **6**(2): 53
NPD Reactors
See Reactors (NPD) (Canada)
NRU Reactor
See Reactors (NRU) (Canada)
NRX Reactor
See Reactors (NRX) (Canada)
N. S. *Savannah* Reactor
See Reactors (N. S. *Savannah*)
Nuclear defense, blast protection for power plants, **6**(3): 1-3
Nuclear power, economics, **4**(2): 4-9
Nuclear safety
See Safety
Nuclear safety guide, **4**(4): 13-14
Nuclear superheat
See Superheat (nuclear)
Nucleate boiling
See Boiling (nucleate)

O

Oak Ridge National Laboratory, criticality accident, **4**(2): 29
Oak Ridge Research Reactor
See Reactors (Oak Ridge Research) (ORR)
OCDRE
See Reactors (Organic-Cooled Deuterium, Experiment) (OCDRE)
Oils, moderating properties, **5**(1): 7-8
OMR
See Reactors (Organic-Moderated) (OMR)
OMRE
See Reactors (Organic-Moderated, Experiment) (OMRE)
Once-Through Superheater Reactor
See Reactors (Once-Through Superheater) (OTSR)
Oralloy
See Uranium (highly enriched)
Organic coolants
See Coolants (organic)
Organic-Cooled Deuterium Reactor Experiment
See Reactors (Organic-Cooled Deuterium, Experiment) (OCDRE)
Organic-cooled and -moderated reactors
See Reactors (organic-cooled and -moderated)
Organic materials
See specific organic materials; Coolants (organic)
Organic-Moderated Reactor
See Reactors (Organic-Moderated) (OMR)
Organic-Moderated Reactor Experiment
See Reactors (Organic-Moderated, Experiment) (OMRE)
ORNL Critical-Experiments Facility
See Reactors (ORNL Critical Experiments Facility)
ORR
See Reactors (Oak Ridge Research)
OTSR
See Reactors (Once-Through Superheater) (OTSR)
Oxalic acid process, corrosion of reactor materials, **4**(3): 45
Oxygen, moderating properties, **5**(1): 7
reactions with uranium carbides, **4**(1): 46-7
removal from helium, **5**(4): 78

P

Pajarito Critical-Assemblies Facility
See Reactors (Pajarito Critical-Assemblies Facility)
Paraffin, neutron cross sections, **6**(1): 5
Parr Shoals Power Reactor
See Reactors (Parr Shoals Power) (CVTR)
Pathfinder Power Reactor
See Reactors (Pathfinder Power)
PBRE
See Reactors (Pebble-Bed, Experiment) (PBRE)
PCTR
See Reactors (Physical Constants Testing)
Peach Bottom Power Reactor
See Reactors (Peach Bottom Power) (HTGR)
Pebble-Bed Reactor Experiment
See Reactors (Pebble-Bed, Experiment) (PBRE)
Pebble-bed reactors
See Reactors (pebble-bed)
Pentane, instabilities in boiling loops, **4**(3): 27
Permanganate solutions, corrosion film oxidation, **4**(3): 44
Permutit SK resin, radiation effects, **5**(4): 48
PFFBR
See Reactors (Plutonium-Fuel Fast-Breeder) (PFFBR)
Phenanthrenes, alkyl-, evaluation as reactor coolants, **4**(4): 79
radiation effects, **4**(4): 79
Phosphoric acid process, corrosion of reactor materials, **4**(3): 45
Physical Constants Testing Reactor
See Reactors (Physical Constants Testing) (PCTR)
Pins (fuel)
See Fuel elements (pins)
Pipes, steam-line corrosion, **4**(3): 65-6
Piping, Hallam Power Reactor, **5**(3): 45-6
Parr Shoals Power Reactor, **6**(4): 71, 72, 77
Piqua City Power Reactor
See Reactors (Piqua Power)
PIXMIX code, neutron cross-section calculation, **6**(4): 47
PIXSE code, neutron cross-section calculation, **6**(4): 47
PL-2 Reactor
See Reactors (PL-2)
Plexiglas, moderating properties, **4**(3): 5
Plexiglas-plutonium systems
See Plutonium-Plexiglas systems
PLUTO Reactor
See Reactors (PLUTO)
Plutonium, analysis, **5**(1): 71
buildup in breeding blankets, **5**(4): 67
corrosion by water, **6**(2): 53
criticality, **4**(3): 8, 9
fuel elements, fabrication costs, **5**(3): 3
neutron-multiplication measurements, **4**(3): 5
production from U^{238}, **6**(4): 1-4
reactivity, **5**(2): 6
recycle, **5**(4): 8-14
Plutonium-239, alpha activities, specific, **4**(1): 19
breeding ratios, **4**(1): 9
criticality, **6**(1): 4
flux hardening effects, **4**(1): 11-12
neutron cross sections, **5**(2): 6, 7
radiation effects, **4**(4): 86
resonance fission integrals, **4**(4): 13

Plutonium-240, alpha activities, specific, **4**(1): 19
  criticality, **6**(1): 3, 4
  neutron cross sections, **5**(2): 7; **6**(1): 5
Plutonium-241, criticality, **6**(1): 4
  flux hardening effects, **4**(1): 11-12
  neutron cross sections, **5**(2): 6, 7
  resonance fission integrals, **4**(4): 13
Plutonium-242, neutron cross sections, **5**(2): 7
Plutonium-aluminum alloys, fuel-element applications in organic reactors, **4**(1): 58
Plutonium-aluminum alloys (Zircaloy-2-clad), criticality, **4**(3): 6
Plutonium carbide–uranium carbide systems
  See Uranium carbide–plutonium carbide systems
Plutonium carbide–uranium systems
  See Uranium–plutonium carbide systems
Plutonium carbides, physical properties, **4**(1): 48
Plutonium-Fuel Fast-Breeder Reactor
  See Reactors (Plutonium-Fuel Fast-Breeder) (PFFBR)
Plutonium-fuel reactors
  See Reactors (plutonium-fuel)
Plutonium-graphite systems, criticality measurements, **4**(1): 23
Plutonium oxide–uranium oxide systems
  See Uranium oxide–plutonium oxide systems
Plutonium oxides (PuO_2), burnup, **5**(3): 2-5
Plutonium-Plexiglas systems, criticality measurements, **4**(1): 23
Plutonium recycle reactors
  See Reactors (plutonium recycle)
Plutonium Recycle Test Reactor
  See Reactors (Plutonium Recycle Test) (PRTR)
Plutonium-thorium alloys, fuel cycles, **5**(1): 1-3
Plutonium-uranium alloys
  See Uranium-plutonium alloys
PM-1 Reactor
  See Reactors (PM-1)
PM-2A Reactor
  See Reactors (PM-2A)
PNPF
  See Reactors (Piqua Power)
Poisoning, stainless-steel, effects, **5**(1): 5-6
Polyethylene plastic, neutron cross sections, **6**(1): 5
  thermal-neutron flux spectrum calculations in, **6**(4): 50-1
Polyphenyls
  See also Terphenyl
  purification, **4**(2): 82-8
Pool boiling
  See Boiling (pool)
POPR
  See Reactors (Prototype Organic Power) (POPR)
Popsy Critical Assembly
  See Reactor (Popsy Critical Assembly)
Potassium-sodium alloys (liquid)
  See Sodium-potassium alloys (liquid)
Powder metallurgy, **6**(1): 26-37
Power excursions, research, **4**(2): 22-5
Power plants, N. S. *Savannah*, **6**(1): 53-4
  blast protection of coal fired, **6**(3): 1-3
Power plants (remote), **4**(2): 4-9
  cooling with mercury, **4**(3): 15-16
Power reactors
  See Reactors (power)
Prandtl numbers, for helium, 270–680°K, **5**(3): 24
PRDC Reactor
  See Reactors (Enrico Fermi Fast-Breeder)
Preamplifiers, **4**(4): 36
Pressure drop, **5**(4): 24
  calculation, **5**(1): 20
  effect on burnout, **4**(2): 18
  steam-water flow, **5**(2): 19
Pressure suppression, Humboldt Bay Power Reactor, **6**(3): 27
  iodine containment, **5**(4): 29-33
Pressure-tube reactors
  See Reactors (pressure-tube)
Pressure-Tube Superheater Reactor
  See Reactors (Pressure-Tube Superheater) (PTSR)
Pressure tubes, design for Parr Shoals Power Reactor, **6**(4): 67-8
  Zircaloy-2, **5**(2): 50
  evaluation after irradiation, **6**(2): 67
Pressure vessels, ASME codes for design and construction, **4**(2): 44-8; **4**(4): 50-1
  British specifications for reactor, **4**(4): 51-4
  concrete, prestressed, **5**(4): 78-80
  design, for British reactors, **4**(4): 52, 54
  for Dresden Power Reactor, **4**(4): 62
  for Elk River Power Reactor, **5**(2): 39-40
  for Hallam Power Reactor, **5**(3): 43-4
  for Indian Point Power Reactor, **6**(3): 34
  for Latina Reactor, **4**(4): 52, 54
  for nuclear superheaters, **4**(3): 79
  for Piqua Power Reactor, **5**(4): 55
  for sodium graphite reactors, **4**(3): 90
  for Yankee Power Reactor, **4**(3): 52-3
  design theory, **6**(3): 40-3
  fatigue, **5**(1): 74-5
  radiation effects, **4**(2): 46
  stress relief, **6**(1): 41
Pressure waves, propagation in steam-water systems, **4**(4): 31
Pressurized Critical Assembly
  See Reactors (Pressurized Critical Assembly)
Pressurized water
  See Water (pressurized)
Pressurized-water reactors
  See Reactors (pressurized-water)
Prestressed concrete
  See Concrete (prestressed)
PRO Reactor
  See Reactors (PRO) (Italy)
Process Development Pile
  See Reactors (Process Development Pile)
Process-heat reactors
  See Reactors (process-heat)
Protactinium-231, neutron cross sections, **6**(1): 5
Prototype Organic Power Reactor
  See Reactors (Prototype Organic Power) (POPR)
PRTR
  See Reactors (Plutonium Recycle Test) (PRTR)
PTSR
  See Reactors (Pressure-Tube Superheater) (PTSR)
Puerto Rico Nuclear Center Research Reactor
  See Reactors (Puerto Rico Nuclear Center Research)
Puerto Rico Reactor
  See Reactors (BONUS)
Pumps, cost studies, **5**(3): 35-7
  Dresden Power Reactor, **4**(4): 64-5
  failure in Shippingport Pressurized-Water Reactor, **5**(4): 69
  leakage in heavy-water reactors, **4**(4): 70-3
  leaks, **5**(3): 35-7
  Parr Shoals Power Reactor, **6**(4): 77
  replacement of radioactive, **5**(4): 46-7
  SL-1 Reactor, **4**(1): 69
Pumps (centrifugal), for liquid metal, **4**(2): 59-61
Pumps (liquid-metal), Hallam Power Reactor, **4**(2): 59-61
  sodium graphite reactors, **4**(3): 90
PWR
  See Reactors (Shippingport Pressurized-Water)
Pyrolytic-Capsule Fouling Test, **6**(2): 58-9
Pyrolytic graphite
  See Graphite (pyrolytic)

R

R-3 Adam Reactor
  See Reactors (R-3/Adam)
RA-330 alloy, nuclear superheater applications, **5**(4): 38
Radiation (alpha), specific activities in plutonium, **4**(1): 19
Radiation (gamma), materials for shielding, **4**(3): 36
  penetration through iron slabs, **4**(2): 35
  shielding, calculation by MAC code, **6**(3): 84
  from U^{239} decay at 74 kev, **4**(1): 16
Radiation (neutron), penetration through iron slabs, **4**(2): 35
Radiation (thermal)
  See Thermal radiation
Radiation (X), nondestructive testing applications, **5**(1): 71
Radiation chemistry, ethylene glycol synthesis from methanol, **4**(3): 1
  hydrazine synthesis from ammonia, **4**(3): 1
Radiation effects, alkylphenanthrenes, **4**(4): 79
  aluminum alloys, **5**(1): 70
  beryllium, **4**(1): 65; **5**(2): 49
  beryllium oxide, **6**(1): 38-40
  borides, **4**(4): 42-3, 44
  boron, **4**(4): 44
  boron carbide, **4**(4): 44
  boron stainless steel, **5**(3): 33
  breeding-blanket elements, **5**(4): 18-19
  compacted-powder fuel elements, **6**(2): 28-42
  fuel elements, **4**(4): 84-5; **5**(1): 84-7; **5**(3): 31; **5**(4): 23, 41
  graphite, **5**(1): 80-1; **5**(4): 39-40
  hafnium, **6**(3): 16
  hafnium borides, **4**(4): 44
  heavy water in boiling heavy-water reactors, **6**(4): 92-4
  ion-exchange resins, **5**(4): 47, 48
  organic coolants, **4**(4): 76, 79, 82; **5**(3): 52-6, 57; **6**(3): 70-2
  Organic-Moderated Reactor Experiment coolant, **4**(4): 82
  pressure vessels, **4**(2): 46
  Pu^{239}, **4**(4): 86
  rare-earth compounds, **6**(3): 15-16
  Santowax OM, **5**(3): 57
  Santowax OMP, **5**(3): 57
  Santowax R, **5**(3): 52-6, 57
  stainless steel, **5**(1): 70; **5**(3): 33; **5**(4): 35-6
  state-of-the-art survey, **6**(2): 53
  steels, **4**(2): 46; **5**(3): 33; **5**(4): 34-6
  terphenyls, **5**(3): 57
  thorium, **5**(4): 18-19
  uranium, **4**(1): 54-5; **5**(3): 31; **5**(4): 40-1
  uranium (tantalum-clad), **5**(4): 41
  uranium (stainless-steel-clad), **5**(4): 41
  uranium (Zircaloy-2-clad), **5**(4): 41
  U^{235}, **4**(4): 86
  U^{239}, **4**(4): 84-5
  uranium alloys, **4**(1): 60; **4**(4): 84-5; **5**(3): 31
  uranium carbides, **4**(1): 48-50
  uranium oxide–thorium oxide systems, **4**(1): 52-4
  uranium oxides (UO_2), **5**(1): 56-62, 66-7
  water, in boiling-water reactors, **6**(4): 92-4
  welds, stainless-steel, **5**(1): 70
  Zircaloy-2 alloy, **4**(3): 42-3; **5**(1): 70; **5**(4): 40; **6**(2): 67
  zirconium, **5**(1): 70
Radiation gauges, nondestructive testing applications, **5**(1): 71
Radiation protection, regulations, **4**(1): 43-4
Radiation surveys, N. S. *Savannah*, **6**(3): 84-5
Radiation techniques, nondestructive testing applications, **5**(1): 71-2

Radioactive maintenance, Vallecitos Boiling-Water Reactor, **5**(4): 46-7
Radioactivity monitoring, environmental, Shippingport Pressurized-Water Reactor, **5**(4): 70
Radioactivity problems, **5**(4): 43-50
Radio-induced heating, **5**(3): 28
in Hallam Power Reactor shield, **5**(3): 29
Radioisotopes, nuclear properties, **4**(4): 32-3
Rapsodie Reactor (France)
See Reactors (Rapsodie) (France)
Ravenswood Power Reactor
See Reactors (Ravenswood Power)
Reactivity, characteristic in Yankee Power Reactor, **6**(4): 86-91
Reactivity excursions, **4**(1): 37-8
Reactivity factors, fast-breeder reactors, **4**(4): 86-96
Reactor constants, **6**(1): 4-6
Reactor containment
See Containment
Reactor control
See Control
Reactor control materials
See Control materials
Reactor control-rod drives
See Control-rod drives
Reactor core design
See also specific reactors
Dresden Power Reactor, **4**(4): 59-60
Reactor cores, design in N. S. *Savannah* Reactor, **6**(1): 47-50
support structure in Parr Shoals Power Reactor, **6**(4): 69, 70-1
thermal analysis of multipass, **6**(1): 23-4
Reactor design, **4**(2): 44-51; **4**(4): 50-68; **5**(1): 74-5; **5**(2): 33-47
Reactor dynamics, **4**(1): 34-6; **4**(3): 29-35; **5**(1): 22-32; **5**(2): 22-32
Reactor fuel alloys
See Fuel alloys
Reactor fuel breeding blankets
See Breeding blankets
Reactor fuel elements
See Fuel elements
Reactor hazards
See Safety
Reactor instrumentation
See Instrumentation
Reactor kinetics, **4**(2): 22-30
Reactor maintenance, N. S. *Savannah* Reactor, **6**(1): 53
Reactor materials, **4**(2): 42-6; **5**(1): 69-70; **5**(2): 48-50; **5**(3): 31-4; **5**(4): 34-42; **6**(1): 38-42; **6**(2): 47-54; **6**(3): 12-19
Reactor moderators
See Moderators
Reactor operation, **4**(3): 56-70; **5**(1): 76-7; **5**(2): 56-60
Reactor physics, **4**(1): 11-26; **4**(2): 10-12; **4**(3): 4-12; **4**(4): 11-18; **5**(1): 4-9; **5**(2): 1-8; **5**(3): 6-11; **5**(4): 15-21; **6**(1): 3-14; **6**(2): 5-15; **6**(3): 79-88; **6**(4): 39-53
Reactor refueling, N. S. *Savannah* Reactor, **6**(1): 53
Reactor safety, **5**(2): 22-32
See Safety
Reactor shielding
See Shielding
Reactor theory, control, **6**(2): 5-7
Reactor transfer functions, **4**(2): 25-6
Reactor vessels
See Pressure vessels
Reactors, in combination with fuel cells, **4**(3): 2-3
core instrumentation, **4**(4): 34-6
decontamination by COD(S-4) process, **4**(3): 45
design, **4**(2): 44-51; **4**(4): 50-68
dynamics, **4**(1): 34-6; **4**(3): 29-35
evaluation, **4**(1): 1-2
hazards, **4**(1): 37-42
kinetics, **4**(2): 22-30
operating experience, **4**(4): 69-75
shutdown cooling with steam, **5**(4): 26
specifications for pressure vessels, **4**(2): 44-8; **4**(4): 50-4
spray cooling, **4**(4): 20-5
Reactors (A1W), carbon-steel applications, **4**(2): 49
Reactors (Advanced Gas-Cooled) (UK), pressure-vessel design, **4**(4): 52, 54
steam-cycle efficiency, **4**(4): 48
Reactors (Advanced Organic-Moderated), fuel-element development, **4**(1): 61-2
Reactors (Advanced Sodium Graphite), design, **4**(3): 91-3
Reactors (AGN-201), radiation chemistry applications, **4**(3): 2
Reactors (AGR) (UK)
See Reactors (Advanced Gas-Cooled) (UK)
Reactors (Alco Products Critical Facility), critical experiments, **4**(3): 7-8
Reactors (ANP), **6**(3): 57
Reactors (APS-1) (USSR), steam-cycle efficiency, **4**(4): 48
Reactors (Argonne High-Flux) (AHFR), core physics, **5**(2): 2
Reactors (Argonne Low-Power)
See Reactors (SL-1)
Reactors (AVR) (West Germany), steam-cycle efficiency, **4**(4): 48
Reactors (BEPO), coolant degradation, **5**(3): 53
graphite corrosion in, **5**(1): 80-1
Reactors (Berkeley) (UK), pressure-vessel design, **4**(4): 52, 54
steam-cycle efficiency, **4**(4): 48
Reactors (beryllium-moderated), breeding ratios, **4**(1): 8
Reactors (Big Rock Point Power), economics, **4**(4): 3, 4, 5
hydrodynamic characteristics, **6**(3): 9
instrumentation, **5**(2): 67, 73
steam-cycle efficiency, **4**(4): 48
Reactors (BN-50) (USSR), steam-cycle efficiency, **4**(4): 48
Reactors (Bohunice) (Czechoslovakia), steam-cycle efficiency, **4**(4): 48
Reactors (boiling heavy-water), critical experiments, **5**(4): 17
heavy-water radiolysis in boiling reactors, **6**(4): 92-4
Reactors (boiling-water), **4**(1): 68-70
See also Reactors (BONUS); Reactors (BORAX); Reactors (Byeloyarsk) (USSR); Reactors (Dresden Power); Reactors (Elk River Power); Reactors (Experimental Boiling-Water); Reactors (Humboldt Bay Power); Reactors (JPDR) (Japan); Reactors (Kahl) (West Germany); Reactors (Kinetic Experiment on Water Boilers); Reactors (Pathfinder Power); Reactors (PL-2); Reactors (SENN) (Italy); Reactors (SL-1); Reactors (Vallecitos Boiling-Water); Reactors (Variable-Moderator)
applications for remote power stations, **4**(2): 4-9
control rods, **4**(3): 87
coolant flow, **5**(2): 14-15
dynamics, **4**(3): 29-33
economics, **4**(4): 8, 9; **6**(1): 1-2
fuel utilization, **5**(3): 2-5
heat transfer, **5**(2): 14-15
marine applications, **4**(3): 86-7
plutonium recycle, **5**(4): 9, 10, 12, 13
stability, **4**(1): 34-5
steam separation, **6**(2): 69-74
water chemistry, **6**(4): 92-6
Reactors (BONUS), bibliographies, **4**(1): 57
containment, **5**(1): 34-5; **5**(2): 53, 54-5
design, **5**(3): 82-3
development, **4**(3): 76-82
economics, **4**(4): 3, 4, 5
instrumentation, **5**(2): 68, 73
nuclear superheaters, **6**(2): 75-80
steam-cycle efficiency, **4**(4): 48
Reactors (BORAX), BORAX-IV, operation, **5**(2): 59-60
coolant radioactivity problems, **6**(4): 95
design of BORAX-V, **5**(3): 82-3; **5**(4): 89, 90
fission-gas release in BORAX-IV, **4**(1): 54
nuclear superheater in BORAX-V, **6**(2): 77
operation with defective fuel plates in BORAX-IV, **6**(4): 95-6
reactivity excursion in BORAX-I, **4**(1): 38
stability, **4**(1): 34
step tests on BORAX-IV, **4**(2): 25
superheated-steam heat transfer in BORAX-V, **4**(2): 19-20
superheater design for BORAX-V, **4**(1): 71-3; **4**(3): 82-3
water analysis in BORAX-IV, **4**(3): 63
water chemistry, **6**(4): 93-4
Reactors (BR-2) (Belgium), design and status, **5**(4): 87
Reactors (BR-3) (Belgium), critical experiments, **4**(1): 22
steam-cycle efficiency, **4**(4): 48
Reactors (BR-5) (USSR), design and status, **5**(4): 88, 90
fuel materials, **4**(4): 85
Reactors (Bradwell) (UK), pressure-vessel design, **4**(4): 52, 54
steam-cycle efficiency, **4**(4): 48
Reactors (breeder)
See also Reactors (fast-breeder); Reactors (power breeder); Reactors (thermal breeder)
fuel utilization, **5**(2): 2-5
Reactors (Bulk Shielding Facility), criticality experiments, **4**(3): 7
$1/\beta$ measurements, **4**(2): 25
Reactors (Byeloyarsk) (USSR), steam-cycle efficiency, **4**(4): 48
Reactors (Calder Hall) (UK), cooling-water treatment, **5**(1): 77
duct design, **4**(1): 66-7
leak testing, **4**(3): 70
pressure-vessel design, **4**(4): 52, 54
resonance integrals, **4**(1): 15
shield design, **5**(3): 28-9
Reactors (CANDU) (Canada), design, **4**(4): 65
economics, **4**(4): 3, 4
fuel utilization, **6**(4): 15
steam-cycle efficiency, **4**(4): 48
Reactors (Carolinas-Virginia Power)
See Reactors (Parr Shoals Power) (CVTR)
Reactors (Chapelcross) (UK), cooling-water treatment, **5**(1): 77
pressure-vessel design, **4**(4): 54
Reactors (chemonuclear), **4**(3): 1-2
Reactors (Commonwealth Edison)
See Reactors (Dresden Power)
Reactors (Consolidated Edison)
See Reactors (Indian Point Power) (CETR); Reactors (Ravenswood Power)
Reactors (Consolidated Nuclear Steam Generator) (CNSG), design, **6**(4): 107, 111-13
Reactors (couples), **4**(2): 29
Reactors (DIDO), iodine containment, **5**(4): 29
Reactors (DIMPLE), Doppler temperature coefficients, measurement on, **4**(1): 12-13
resonance integrals, **4**(1): 19
Reactors (Dounreay Fast-Breeder) (UK), cooling-water treatment, **5**(1): 77
design and status, **5**(4): 88, 90
steam-cycle efficiency, **4**(4): 49
Reactors (Dragon) (UK), design and status, **5**(4): 87, 88; **6**(1): 74-80
helium purification, **5**(4): 76-8
pressure-vessel design, **4**(4): 52
Reactors (Dresden Power), control, **4**(4): 61, 62-3, 67
control-rod composition, **4**(4): 46; **5**(3): 34
control-rod failure, **4**(4): 43, 45-6
coolant radioactivity problems, **6**(4): 95
core instrumentation, **4**(4): 35
corrosion problems, **6**(4): 95
design details, **4**(4): 56-68
fuel fabrication costs, **4**(4): 5
instrumentation, **5**(1): 46, 51, 52

Reactors (Dresden Power) (Continued)
operation, 5(2): 56-9; 6(2): 60-4
spatial power distribution stability, 4(2): 26
steam-cycle efficiency, 4(4): 48
waste disposal, 5(4): 49-50
Reactors (Dungeness) (UK), steam-cycle efficiency, 4(4): 48
Reactors (EDF) (France), pressure vessel, prestressed concrete for EDF-3, 5(4): 79
steam-cycle efficiency, 4(4): 48
Reactors (EL-4), 4(2): 74
Reactors (Elk River Power), bibliographies, 4(1): 57
design, 5(2): 33-46
economics, 4(4): 3, 4, 5
instrumentation, 5(1): 47, 51
steam-cycle efficiency, 4(4): 48
Reactors (Engineering Test) (ETR), control-rod experience, 4(4): 45
heat transfer, 5(4): 24
Reactors (Enrico Fermi Fast-Breeder), bibliographies, 4(1): 57
Doppler effect, 4(4): 16-17
economics, 4(4): 3, 4, 5
fuel-element melting, 5(2): 30-1
fuel elements, 4(1): 51-2
fuel fabrication costs, 4(4): 93
fuel materials, 4(4): 85
instrumentation, 5(1): 50, 51
steam-cycle efficiency, 4(4): 49
Reactors (ESSOR) (Italy), status, 6(1): 63
Reactors (Experimental Beryllium Oxide) (EBOR), design and status, 5(4): 87, 88
Reactors (Experimental Boiling-Water) (EBWR), control-rod failure, 4(4): 43, 45-6
coolant radioactivity problems, 6(4): 9
core instrumentation, 4(4): 35
corrosion problems, 6(4): 94-6
criticality studies, 5(4): 16
dynamics, 4(3): 29-33
economics, 4(4): 3
fission-gas release, 4(1): 53-4
fuel elements, radiation effects, 4(1): 32-4
heavy-water recovery, 4(2): 59
inspection after operation, 4(3): 56-69
instrumentation, 5(1): 44, 51, 52
operating experience, 4(3): 65-69
stability, 4(1): 34
steam contamination, 4(1): 54
steam-cycle efficiency, 4(4): 48
steam-void measurement, 5(2): 19
step tests, 4(2): 25
superheater experiments, 4(3): 82-3
test report list, 4(3): 62-3
turbine-shaft seals, 5(3): 37
vapor recovery system testing, 4(2): 59
water chemistry, 6(4): 93-4
Reactors (Experimental Breeder) (EBR), core design of EBR-I, 4(1): 35
dynamics of EBR-I, 5(2): 24-9
economics of EBR-II, 4(4): 3, 5
fuel-element melting in EBR-II, 5(2): 30-1
fuel elements, radiation effects, 5(3): 31
instrumentation in EBR-II, 5(2): 72, 73
radiation effects on fuel pins in EBR-II, 4(4): 84-5
shield design, EBR-II, 6(3): 85-6
steam-cycle efficiency of EBR-II, 4(4): 49
Reactors (Experimental Breeder II) (EBR-II), fuel-element melting, 5(2): 30-1
Reactors (Experimental Fast Oxide) (EFOR), design and status, 5(4): 88, 99
Reactors (Experimental Gas-Cooled) (EGCR), 4(1): 63-5
coolant temperature measurement, 5(3): 65-6
cooling system, 4(1): 29-30
core instrumentation, 4(4): 35
economics, 4(4): 3, 5
fuel-element critical experiments, 4(3): 6
fuel elements, thermal analysis, 5(3): 60-1
heat transfer, 5(3): 21-2
lattice-parameter measurements, 4(1): 23
seals, 5(1): 82-3
steam-cycle efficiency, 4(4): 48
temperature coefficient of reactivity, 4(1): 15
test loops, 4(3): 6
Reactors (Experimental Low-Temperature Process-Heat), design, 4(1): 1-2
Reactors (Experimental Organic-Cooled) (EOCR), design, 4(4): 76; 5(1): 88-91
status, 6(1): 63
Reactors (fast), fuel-element melting, 5(2): 29-31
fuel utilization, 5(3): 2-5
oxide fuel (dilute) reactivity, 5(2): 1
Reactors (fast-breeder), 4(4): 84-96
See also Reactors (BN-50) (USSR); Reactors (BR-5) (USSR); Reactors (Dounreay Fast-Breeder) (UK); Reactors (Enrico Fermi Fast-Breeder); Reactors (Experimental Breeder); Reactors (Plutonium-Fuel Fast-Breeder); Reactors (Rapsodie) (France); Reactors (Zebra) (UK); Reactors (ZPR-III)
applications for remote power stations, 4(2): 4
economics, 4(4): 8, 9; 6(1): 1-2; 6(3): 1-3
fuel utilization, 6(4): 24-7
Reactors (First Atomic Power Station) (USSR), design and status, 5(4): 90-1
Reactors (Florida Power), bibliographies, 4(1): 57
design, 4(2): 73-6
economics, 4(4): 3, 4, 5
steam-cycle efficiency, 4(4): 48
Reactors (fluid-fuel)
See also Reactors (homogeneous); Reactors (Homogeneous, Experimental); Reactors (Molten-Salt, Experiment) (MSRE)
applications for remote power stations, 4(2): 4
Reactors (fluidized-bed), heat transfer, heat transfer, 5(3): 22-4
Reactors (Fuel-Bearing Graphite) (FBGR), design, 6(3): 74-6
Reactors (G2) (France), pressure vessel, prestressed concrete, 5(4): 79
Reactors (G3) (France), pressure vessel, prestressed concrete, 5(4): 79
Reactors (gas-cooled), 4(1): 63-7; 5(1): 80-3; 5(3): 60-70; 5(4): 76-80; 6(3): 57-65
See also Reactors (Advanced Gas-Cooled) (UK); Reactors (AVR) (West Germany); Reactors (Berkeley) (UK); Reactors (Bohunice) (Czechoslovakia); Reactors (Bradwell) (UK); Reactors (Calder Hall) (UK); Reactors (Chapelcross) (UK); Reactors (Dragon) (UK); Reactors (Dungeness) (UK); Reactors (EDF) (France); Reactors (Experimental Gas-Cooled) (EGCR); Reactors (Gas-Cooled, Experiment) (GCRE); Reactors (GLEEP) (UK); Reactors (Hanford Test); Reactors (Hinkley Point) (UK); Reactors (Hunterston) (UK); Reactors (JAPC) (Japan); Reactors (Latina) (Italy); Reactors (ML-1); Reactors (Maritime Gas-Cooled); Reactors (Neuglobsow) (East Germany); Reactors (Sizewell) (UK); Reactors (Trawsfynydd) (UK); Reactors (TREAT)
applications for remote power stations, 4(2): 4
cooling systems, 4(1): 29-32
design, 6(1): 74-80
economics, 6(3): 1-3
fuel utilization, 6(4): 21-2
heat transfer, 5(3): 20-2
merchant-ship propulsion applications, 6(4): 106-11
plutonium recycle, 5(4): 9, 10, 12
shield design, 5(3): 28-9
Reactors (Gas-Cooled, Experiment) (GCRE), 6(3): 57
core instrumentation of GCRE-I, 4(4): 35
fuel-element design for GCRE-II, 5(1): 81-2
seals for GCRE-I, 5(1): 82-3
Reactors (gas-cooled heavy-water-moderated) *See* Reactors (EL-4) (France); Reactors (Florida Power)
Reactors (General Electric Test) (GETR), control-rod failure, 4(4): 43, 45-6
superheater tests, 4(3): 72
Reactors (GLEEP), neutron absorption cross-section measurements, 4(1): 20
thorium irradiation studies, 5(4): 18-19
Reactors (Godiva), power excursion in Godiva I, 4(2): 24, 29
Reactors (Godiva Critical Facility), 4(3): 8-9
Reactors (graphite-moderated)
See also Reactors (Sodium graphite); Reactors (Advanced Gas-Cooled) (UK); Reactors (APS-1) (USSR); Reactors (AVR) (West Germany); Reactors (Berkeley) (UK); Reactors (Bohunice) (Czechoslovakia); Reactors (Bradwell) (UK); Reactors (Calder Hall) (UK); Reactors (Chapelcross) (UK); Reactors (Dragon) (UK); Reactors (Dungeness) (UK); Reactors (EDF); Reactors (Experimental Gas-Cooled) (EGCR); Reactors (Gas-Cooled, Experiment) (GCRE); Reactors (GLEEP) (UK); Reactors (Hanford Test); Reactors (Hinkley Point) (UK); Reactors (Hunterston) (UK); Reactors (JAPC) (Japan); Reactors (Latina) (Italy); Reactors (Neuglobsow) (East Germany); Reactors (New Production); Reactors (Physical Constants Testing); Reactors (Sizewell) (UK); Reactors (Thermal Test); Reactors (Trawsfynydd) (UK); Reactors (TREAT)
breeding ratios, 4(1): 8
Reactors (Graphite-Moderated Boiling and Superheating) (GBSR), design, 5(3): 71-4, 79-83
Reactors (Hallam Power), bibliographies, 4(1): 57
boiling, 5(4): 26
component fabrication, 6(2): 81-2
core II, 4(3): 91
criticality studies, 5(1): 5-6
design, 5(3): 39-51
economics, 4(4): 3, 4, 5
flow orifices, 4(4): 19
fuel elements, 4(1): 51
fuel enrichment, 5(2): 3
fuel utilization, 6(4): 21
instrumentation, 5(2): 71, 73
pumps, 4(2): 59-61
seals, 4(2): 60-1; 4(4): 55
shielding, radio-induced heating in, 5(3): 29
steam-cycle efficiency, 4(4): 49
valve design, 4(4): 54-6
waste disposal, 5(4): 49-50
Reactors (Hanford Production), core instrumentation, 4(4): 35
Reactors (Hanford Test), neutron absorption cross-section measurements, 4(1): 19-20
Reactors (Heat-Transfer, Experiment 1) (HTRE-1), modification for marine applications, 6(4): 106
Reactors (heavy-water)
See also Reactors (CANDU) (Canada); Reactors (DIMPLE) (UK); Reactors (EDF) (France); Reactors (Florida Power); Reactors (Heavy-Water Components Test); Reactors (HIPPO) (Canada); Reactors (NPD) (Canada); Reactors (NRU) (Canada); Reactors (Parr Shoals); Reactors (Plutonium Recycle Test) (PRTR); Reactors (Process Development Pile); Reactors (Spectral Shift Control) (SSCR); Reactors (ZEEP) (Canada); Reactors (Zoé) (France)
applications for remote power stations, 4(2): 4
heavy-water losses, 6(1): 55-6
physics, 4(2): 11
plutonium recycle, 5(4): 9, 10, 12, 13
pump leakage, 4(4): 70-3; 5(3): 35
supercritical water reactors, 4(2): 78-81
valve leakage, 4(4): 70-3

Reactors (heavy-water boiling, design, 4(2): 65-6
Reactors (Heavy-Water Components Test) (HWCTR), burnout, 4(3): 21
carbon-steel applications, 4(2): 49
containment, 5(2): 51-4
design, 4(2): 74
fuel elements, 4(2): 65
pump seals, 5(3): 36-7
Reactors (heavy-water-moderated)
See also Reactors (EL-4) (France); Reactors (Florida Power)
breeding ratios, 4(1): 8
thermal converters, fuel utilization, 6(4): 13-16
Reactors (heavy-water-moderated organic-cooled)
See Reactors (organic-cooled heavy-water-moderated)
Reactors (heterogeneous)
See also specific reactors
flux hardening effects, 4(1): 11-12
physics calculations, 6(2): 7-11
Reactors (High-Flux Isotope) (HFIR), burnout, 4(3): 17
criticality studies on mockup, 4(3): 7
fuel-element corrosion, 5(3): 32-3
heat transfer, 5(1): 10-11
Reactors (High-Temperature Test Facility), criticality measurements, 4(1): 23-4
neutron-activation distribution measurements, 4(1): 23-4
Reactors (Hinkley Point) (UK), steam-cycle efficiency, 4(4): 48
Reactors (HIPPO) (Canada), temperature coefficient of reactivity, 4(2): 11
Reactors (homogeneous)
See also Reactors (Gas-Cooled, Experiment) (GCRE); Reactors (Homogeneous, Experiment) (HRE); Reactors (TREAT)
critical experiments, 4(3): 7
fuel utilization, 6(4): 21
Reactors (Homogeneous, Experiment) (HRE), fuel instability in HRE-II, 4(2): 26
Reactors (HR-2), design and status, 5(4): 88, 90
Reactors (Humboldt Bay Power), containment, 5(1): 33-4
economics, 4(4): 3, 4, 5
instrumentation, 5(2): 66, 73
pressure suppression, 4(2): 32-3; 5(4): 29; 6(3): 27
steam-cycle efficiency, 4(4): 48
Reactors (Hunterston) (UK), pressure-vessel design, 4(4): 52, 54
steam-cycle efficiency, 4(4): 48
Reactors (hydride-moderated)
See Reactors (Maritime Gas-Cooled); Reactors (SNAP Experiment)
Reactors (Indian Point Power) (CETR), critical experiments, 4(1): 22-3
design, 6(3): 28-41, 66-8
economics, 4(4): 3, 4
instrumentation, 4(4): 35; 5(1): 41, 51
steam-cycle efficiency, 4(4): 48
Reactors (Integral Boiling and Superheating) (IBSHR), design, 5(3): 71-4, 74-5, 79-83
Reactors (Integral Nuclear Superheater) (ISR), design, 5(3): 71-4, 75, 76, 79-83
Reactors (JAPC) (Japan), steam-cycle efficiency, 4(4): 48
Reactors (Jezebel Plutonium Critical Facility), 4(3): 8
Reactors (JPDR) (Japan), steam-cycle efficiency, 4(4): 48
Reactors (Kahl) (West Germany), steam-cycle efficiency, 4(4): 48
Reactors (KEMA Suspension Test) (KSTR), design and status, 5(4): 88
Reactors (Kinetic Experiment on Water Boilers) (KEWB), power excursions, 4(2): 23-4
transfer-function measurements, 4(3): 33
Reactors (Latina) (Italy), pressure-vessel design, 4(4): 52, 54
steam-cycle efficiency, 4(4): 48
Reactors (liquid-metal-cooled)
See also Reactors (sodium graphite); Reactors (BN-50) (USSR); Reactors (BR-5) (USSR); Reactors (Dounreay Fast-Breeder) (UK); Reactors (Enrico Fermi Fast-Breeder); Reactors (Experimental Fast-Breeder); Reactors (Plutonium-Fuel Fast-Breeder); Reactors (Rapsodie) (France); Reactors (SNAP Experimental); Reactors (ZEBRA) (UK); Reactors (ZPR-III)
conferences, 6(1): 60
economics, 4(4): 8, 9
Reactors (Lynchburg Pool) (LPR), nuclear constants studies, 6(1): 5-6
Reactors (marine), 6(1): 81-4; 6(4): 106-17
See also Reactors (Maritime Gas-Cooled); Reactors (N. S. *Savannah*)
boiling-water reactors, 4(3): 86-7
Reactors (Maritime Gas-Cooled) (MGCR), corrosion problems, 4(3): 43-4
seals, 5(1): 82-3
Reactors (Materials Testing) (MTR), fuel-element costs, 5(3): 3
fuel elements, radiation effects, 5(3): 31
heat transfer, 5(4): 24
scattering-law experiments, 6(1): 6-14
Reactors (McMurdo Sound), fuel-fabrication costs, 4(4): 5
steam-cycle efficiency, 4(4): 48
Reactors (merchant vessel)
See Reactors (Marine)
Reactors (MIT Research) (MITR), critical experiments, 5(4): 16
Reactors (Mixed-Spectrum Superheater) (MSSR), design, 5(3): 71-4, 75-7, 79-83
Reactors (ML-1), criticality experiments on ML-1-1B, 4(4): 12
design, 6(3): 59-60
design parameters, 4(2): 7
Reactors (Modified Lynchburg Source) (MLSR), critical experiments, 5(2): 14
Reactors (Molten-Salt, Experiment) (MSRE), design and status, 5(4): 88, 90
Reactors (Neuglobsow) (East Germany), steam-cycle efficiency, 4(4): 48
Reactors (New Production), carbon-steel applications, 4(2): 49
Reactors (NPD) (Canada), buckling measurements on fuel rods of NPD-1, 4(2): 11
containment of NPD-2, 5(1): 33
design of NPD-2, 4(2): 64-5, 74
iodine removal in NPD-2, 5(4): 31-2
steam-cycle efficiency of NPD-2, 4(4): 48
Reactors (NRU) (Canada), approach-to-critical experiments, 4(2): 11
scattering-law experiments, 6(1): 6-8
temperature coefficient of reactivity, 4(2): 11
Reactors (NRX) (Canada), thorium irradiation studies, 5(4): 18
Reactors (N. S. *Savannah*), design, 6(1): 43-54
instrumentation, 4(4): 35; 5(1): 40, 51
neutron-flux distribution, 5(3): 7
shielding, 4(3): 36; 6(3): 84-5
Reactors (Nuclear Steam Generator 630A), design, 6(4): 106-11
Reactors (nuclear superheat), 6(4): 97-105
See also Reactors (BONUS); Reactors (Pathfinder Power); Superheaters (nuclear)
Reactors (Oak Ridge Research) (ORR)
burnout studies for High-Flux Isotope Reactor, 4(3): 17
Reactors (Once-Through Superheater) (OTSR), design, 5(3): 71-4, 77, 79-83
Reactors (Organic-Cooled Deuterium, Experiment) (OCDRE), design, 4(2): 76
Reactors (organic-cooled heavy-water-moderated)
See also Reactors (Organic-Cooled Deuterium, Experiment) (OCDRE)
design, 4(4): 76
design and status, 5(4): 89
status, 6(1): 63
Reactors (organic-cooled and -moderated), 4(1): 58-62; 4(4): 76-83; 5(3): 52-9; 6(1): 62-73; 6(3): 70-2
See also Reactors (organic-cooled heavy-water-moderated); Reactors (Advanced Organic-Moderated); Reactors (Experimental Organic-Cooled) (EOCR); Reactors (Organic-Moderated, Experiment) (OMRE); Reactors (Piqua Power)
applications for remote power stations, 4(2): 4, 6
coolant energy absorption, 6(1): 67-70
coolant purification, 6(2): 57-9
economics, 4(4): 8, 9; 6(1): 1-2
fuel utilization, 6(4): 20-1
plutonium recycle, 5(4): 9, 10, 12
Reactors (Organic-Moderated) (OMR), coolant costs, 5(3): 58-9
criticality experiments in USSR, 4(1): 23
Reactors (Organic-Moderated, Experiment) (OMRE), control-rod experience, 4(4): 45
coolant degradation, 5(3): 52-6
coolant properties, 6(1): 62-3
coolant purification, 6(2): 57-9
coolant stability, 6(3): 72
design, 4(1): 58; 4(4): 76-83; 5(3): 56, 58-9; 6(1): 69
status, 6(1): 63
instrumentation, 4(4): 35; 5(1): 48, 51, 52
Reactors (ORNL Critical Experiments Facility), critical experiments on highly enriched uranium, 4(3): 7
Reactors (Pajarito Critical Assemblies Facility), 4(3): 9-10
Reactors (Parr Shoals Power) (CVTR), bibliographies, 4(1): 57
design, 4(2): 73, 74; 6(4): 63-81
economics, 4(4): 3, 4, 5
fuel elements, 5(1): 62
instrumentation, 5(2): 62, 73
steam-cycle efficiency, 4(4): 48
Reactors (Pathfinder Power), bibliographies, 4(1): 57
control rods, 5(2): 46-7
design, 5(3): 82-3
economics, 4(4): 3, 4, 5
instrumentation, 5(2): 69, 73
nuclear superheater, 6(2): 75-80
shield analysis, 6(3): 84
steam-cycle efficiency, 4(4): 48
superheater development, 4(3): 82
Reactors (Peach Bottom Power) (HTGR), 5(3): 61-5; 6(3): 64
comparison with Dragon Reactor, 6(1): 75
control-rod evaluation, 6(2): 49
economics, 4(4): 3, 4, 5
steam-cycle efficiency, 4(4): 48
Reactors (pebble-bed), design and status, 5(4): 87, 88
heat transfer, 5(3): 23-4
Reactors (Pebble-Bed, Experiment) (PBRE), fuel development, 6(3): 64
Reactors (Physical Constants Testing) (PCTR), critical experiments, 5(2): 1; 5(4): 15; 6(1): 4
Experimental Gas-Cooled-Reactor fuel-element testing, 4(3): 6
exponential experiments, 5(1): 4; 6(1): 4
graphite-moderating properties measurement, 4(3): 6-7
neutron-absorption cross-section measurements, 4(1): 19-20
neutron rethermalization studies, 5(2): 3-4, 5
temperature coefficient of reactivity, 4(1): 15
Reactors (Piqua Power), auxiliary systems, 4(2): 82-8
bibliographies, 4(1): 57
coolant costs, 5(3): 58
design, 4(4): 76; 5(4): 51-60; 6(1): 69
economics, 4(4): 3, 4, 5
fuel-element development, 4(1): 58, 60-1

Reactors (Piqua Power) (Continued)
instrumentation, 4(4): 35; 5(2): 70, 73
moderator, power absorption, 5(3): 58
status, 6(1): 63
steam-cycle efficiency, 4(4): 49
Reactors (PL-2), critical experiments, 6(2): 13-14
design parameters, 4(2): 7
economics at remote locations, 4(2): 6-8
Reactors (PLUTO), iodine containment, 5(4): 29, 30-1
Reactors (plutonium-fuel)
See also Reactors (BN-50) (USSR); Reactors (BR-5) (USSR); Reactors (Jezebel Plutonium Critical Facility); Reactors (Plutonium-Fuel Fast-Breeder); Reactors (Plutonium Recycle Test); Reactors (Rapsodie) (France)
breeding ratios, 4(1): 7-8
reactivity factors, 4(4): 86-96
Reactors (Plutonium-Fuel Fast-Breeder) (PFFBR), fuel elements, 4(4): 93, 94
Reactors (plutonium recycle), fuel utilization, 6(4): 16-20
Reactors (Plutonium Recycle Test) (PRTR), cooling with transverse flow of air, 6(4): 61
core instrumentation, 4(4): 35
critical experiments, 6(2): 13-14
heavy-water losses, 6(1): 55-6
design, 4(2): 73-4; 5(4): 89
fuel-element costs, 5(3): 3
pump design, 4(4): 71-3
Reactors (PM-1), critical experiments, 5(4): 15-16, 17-18
design, 4(2): 7; 6(3): 43-6
instrumentation, 4(4): 35; 5(2): 64, 73
Reactors (PM-2A), design, 4(2): 7
instrumentation, 5(1): 43, 51
Reactors (Popsy Critical Assembly), 4(3): 8
Reactors (power)
See also specific power reactors
breeding ratios, 4(1): 5-9
experiments, 5(4): 87-92
evaluation of U. S. programs, 6(2): 1-4
heat transfer, 4(2): 20
radiation from, 4(4): 33
Reactors (pressure tube), 4(2): 65-7
See also Reactors (Byeloyarsk) (USSR); Reactors (CANDU) (Canada); Reactors (New Production) (NPR); Reactors (Parr Shoals Power) (CVTR)
Reactors (Pressure-Tube Superheater) (PTSR), design, 5(3): 71-4, 77-8, 79-83
Reactors (Pressurized Critical Assembly), criticality studies, 4(2): 10
Reactors (pressurized-water)
See also Reactors (A1W); Reactors (APS-1) (USSR); Reactors (BR-3) (Belgium); Reactors (Experimental Low-Temperature Process-Heat); Reactors (High-Temperature Test Facility); Reactors (Indian Point Power); Reactors (McMurdo Sound); Reactors (N. S. *Savannah*); Reactors (PM); Reactors (Pressurized Critical Assembly); Reactors (Saxton Power); Reactors (SELNI) (Italy); Reactors (Shippingport Pressurized-Water); Reactors (SM); Reactors (Spectral Shift Control); Reactors (SPERT); Reactors (Ulyanovsk) (USSR); Reactors (Veronezh) (USSR); Reactors (Yankee Power)
applications for remote power stations, 4(2): 4-9
economics, 4(4): 8, 9; 6(1): 1-2; 6(3): 1-3
heat transfer, 4(2): 31-2; 5(4): 24
merchant-ship propulsion applications, 6(1): 83; 6(4): 109-17
operation without coolant purification, 6(2): 55-7
plutonium recycle, 5(4): 9-14
pressurization, 5(1): 78-9
thermal analysis, 4(1): 32
water decontamination, 4(3): 44-6
Reactors (PRO) (Italy), status, 6(1): 63
Reactors (Process Development Pile), buckling measurements, 4(2): 11-12; 5(2): 3
critical experiments, 5(4): 17
thermal-neutron-distribution measurements, 4(2): 10-11
Reactors (process-heat)
See also Reactors (Low-Temperature Process-Heat)
evaluation, 4(1): 1-2
Reactors (Prototype Organic Power) (POPR), 5(3): 58
Reactors (Puerto Rico)
See Reactors (BONUS)
Reactors (Puerto Rico Nuclear Center Research), fuel-element criticality, 4(3): 7
Reactors (R-3/Adam), fuel-element buckling studies, 5(2): 3; 5(3): 6-7
Reactors (Rapsodie) (France), design and status, 5(4): 88, 90
fuel materials, 4(4): 85
Reactors (Ravenswood Power), containment, 6(3): 21-6
Reactors (Savannah River Production), fuel-element-rupture detection, 5(4): 47, 49
heat-exchanger failure, 5(1): 76-7
step tests, 4(2): 25
Reactors (Saxton Power), bibliographies, 4(1): 57
design and status, 5(4): 89
fuel-fabrication costs, 4(4): 5
steam-cycle efficiency, 4(4): 48
Reactors (seed-blanket), economic potentials, 4(3): 38-41
Reactors (SELNI) (Italy), economics, 4(4): 3, 4
steam-cycle efficiency, 4(4): 48
Reactors (SENN) (Italy), economics, 4(4): 3, 4, 5
steam-cycle efficiency, 4(4): 48
Reactors (Separate Superheater) (SSR), design, 5(3): 71-4, 79-83
Reactors (Shippingport Pressurized-Water) (PWR), control-rod experience, 4(4): 45
core design, 4(2): 52-3
core modifications, 4(2): 58
departure from nucleate boiling, 5(2): 15-17
economics, 4(4): 3, 5
fission-gas release, 4(1): 54
fuel-burnup analysis in core I, 5(1): 1
fuel cycle, 4(3): 38-41
fuel-element thermal conductivity, 4(2): 41
fuel elements, 5(1): 54-6, 66-7
instrumentation, 4(2): 52, 56; 4(4): 35; 5(1): 37-8, 51, 52
boiling burnout, 6(1): 16-18
operating experience, 5(4): 61-72; 6(2): 64-7; 6(3): 49-55
operation without coolant purification, 6(2): 55-7
refueling, 4(2): 52-8
steam-cycle efficiency, 4(4): 48
step tests, 4(2): 25
waste disposal, 5(4): 49, 50
Reactors (Sizewell) (UK), steam-cycle efficiency, 4(4): 48
Reactors (SL-1), 4(1): 68-70
coolant radioactivity problems, 6(4): 95
instrumentation, 5(1): 45, 51
water chemistry, 6(4): 93-4
Reactors (SM-1), control-rod failure, 4(4): 43, 45-6
economics, 4(4): 3
instrumentation, 5(1): 42, 51
nuclear measurements, 4(3): 8
steam-cycle efficiency, 4(4): 48
pressure suppression during cooling-system rupture, 4(2): 33
Reactors (SM-1A), instrumentation, 5(2): 63, 73
Reactors (SM-2), critical experiments, 4(3): 7-8
economics at remote locations, 4(2): 6-8
Reactors (small power)
See also Reactors (AVR) (West Germany); Reactors (BONUS); Reactors (Dounreay Fast-Breeder) (UK); Reactors (Experimental Boiling-Water) (EBWR); Reactors (Experimental Breeder); Reactors (Kahl) (West Germany); Reactors (McMurdo Sound); Reactors (ML-1); Reactors (Piqua Power); Reactors (PM); Reactors (Saxton Power); Reactors (SL-1); Reactors (SM); Reactors (Sodium, Experiment) (SRE); Reactors (Vallecitos Boiling-Water)
critical measurements, 4(3): 4
Reactors (SNAP Developmental) (SDR), critical experiments, 6(3): 81-2
Reactors (SNAP Experimental) (SER), critical experiments, 4(4): 12; 6(3): 81-2
Reactors (sodium-cooled), 5(4): 73-5
See also Reactors (liquid-metal cooled)
Reactors (Sodium, Experiment) (SRE), boiling, 5(4): 26
carbon removal from coolant, 5(4): 74
control-rod experience, 4(4): 45
corrosion, 5(4): 73
design, 4(4): 73-4; 5(4): 89
economics, 4(4): 3, 5
fuel-element damage, 5(1): 84-7
fuel elements, radiation effects, 5(3): 31
fuel-rod bowing, 6(1): 57-60
instrumentation, 4(4): 35; 5(1): 49, 51
thermal analysis, 6(2): 25
oscillation measurements, 4(3): 33-4
steam-cycle efficiency, 4(4): 49
waste disposal, 5(4): 49-50
Reactors (sodium graphite), 4(3): 89-96
See also Reactors (Advanced Sodium Graphite); Reactors (Hallam Power)
applications for remote power stations, 4(2): 4
control rods, 5(4): 74-5
economics, 4(3): 92; 4(4): 8, 9; 6(1): 1-2; 6(3): 1-3
pressure vessels, 4(3): 90
Reactors (Sodium Modular), 4(3): 93-6
Reactors (Spectral Shift Control) (SSCR), criticality experiments, 4(4): 12; 5(1): 5; 5(3): 7; 5(4): 16-17; 6(2): 13-14; 6(3): 80-1
fuel utilization, 6(4): 21, 23
design, 5(4): 81-6
reactor constants, 6(1): 5-6
Reactors (SPERT), criticality studies, 5(2): 2
design of SPERT-III, 5(3): 85-7
dynamics, 5(2): 24
Hydrodynamic instabilities in SPERT-IA, 4(2): 27-8
operating transients, 5(2): 22-4
oscillator program in SPERT-I, 4(2): 25
power excursions in SPERT-I, 4(2): 22-3
reactivity excursions in SPERT-I, 4(1): 38
reactor dynamics, 5(1): 22-32
stability, 4(1): 34
steam voids in SPERT-IA, 4(2): 27
Reactors (spray-cooled), 4(1): 74-7
Reactors (steam-cooled), 5(3): 71-84
Reactors (Steam-Cooled Fast-Breeder) (SCFBR), design, 5(3): 71-4, 76, 78-9, 79-83
Reactors (Steam-Cooled Heavy-Water-Moderated) (SCDMR), design, 5(3): 71-4, 76, 78, 79, 79-83
Reactors (Supercritical Once-Through Tube) (SCOTT-R), design, 6(3): 74-8
Reactors (Supercritical Pressure Power) (SPPR), design, 6(3): 73-8
Reactors (supercritical water), 4(2): 78-81; 6(3): 73-8
Reactors (superheat), design, 5(1): 14
heat transfer, 5(1): 13-14
Reactors (superheater)
See Superheaters (nuclear); Reactors (BONUS); Reactors (Byeloyarsk) (USSR); Reactors (Elk River Power); Reactors (Pathfinder); Reactors (Separate Superheater) (SSR)

Reactors (thermal), Doppler effect, **4**(4): 14-17
Reactors (thermal breeder), **6**(4): 27-8
Reactors (thermal converter), fuel utilization, **6**(4): 7-24
Reactors (Thermal Test), neutron multiplication and exponential experiments, **4**(3): 6
Reactors (thorium-cycle), fuel utilization, **6**(4): 22-4
Reactors (Topsy Critical Facility), **4**(3): 8
Reactors (Trawsfynydd) (UK), steam-cycle efficiency, **4**(4): 48
Reactors (TREAT), burnout, **4**(1): 40-1
fuel-element melting, **5**(2): 29-31
kinetics, **4**(3): 34
power excursions, **4**(2): 24-5
Reactors (Ulyanovsk) (USSR), steam-cycle efficiency, **4**(4): 48, 49
Reactors (Unified Modular) (UNIMOD), design, **6**(4): 107, 111, 114-17
Reactors (Vallecitos Boiling-Water) (VBWR), control-rod experience, **4**(4): 45
coolant radioactivity problems, **6**(4): 95
design and status, **5**(4): 90
fission-gas release, **4**(1): 54
fuel-fabrication costs, **4**(4): 5
hydrodynamic characteristics, **6**(3): 9-10
instrumentation, **5**(2): 65, 73
maintenance procedures, **5**(4): 46-7
SADE loop superheater experiments, **4**(3): 74-5
stability, **4**(1): 34
steam-cycle efficiency, **4**(4): 48
water chemistry, **6**(4): 93-4
Reactors (Vallecitos Experimental Superheat) (VESR), design and status, **5**(4): 89, 90
Reactors (Variable-Moderator), **4**(1): 77-8
critical assemblies, **4**(3): 4
design, **5**(3): 88-9
Reactors (Veronezh) (USSR), steam-cycle efficiency, **4**(4): 48
Reactors (VULCAIN), design and status, **5**(4): 89
Reactors (water-cooled)
See Reactors (water-cooled and -moderated); Reactors (ML-1); Reactors (New Production); Reactors (Thermal Test)
Reactors (water-cooled and -moderated)
See also Reactors (boiling-water; Reactors (pressurized-water); Reactors (Alco Products Critical Facility); Reactors (Bulk Shielding); Reactors (Engineering Test); Reactors (General Electric Test) (GETR); Reactors (Homogeneous, Experiment) (HRE); Reactors (ORNL Critical Experiments Facility)
breeding ratios, **4**(1): 6-8
metal-water reaction studies, **4**(1): 37
power distributions, **4**(1): 17
thermal converters, fuel utilization, **6**(4): 9-13
Reactors (Whiteshell No. 1) (WR-1), status, **6**(1): 63
Reactors (Yankee Power), **4**(3): 47-55
bibliographies, **4**(1): 57
core evaluation after operation, **6**(3): 55-6
corrosion problems, **6**(4): 82-3
critical experiments, **4**(1): 21-2
instrumentation, **4**(4): 35; **5**(1): 39, 51
nuclear constants measurements, **4**(1): 21
operating experience, **4**(4): 69-70; **6**(4): 82-91
power distributions in critical experiments, **4**(1): 17
pump leakage, **5**(3): 35
reactivity characteristics, **6**(4): 86-91
steam-cycle efficiency, **4**(4): 48
Reactors (ZEBRA) (UK), buckling measurements, **4**(2): 11
Reactors (ZEEP) (Canada), critical experiments, **4**(2): 11
reactivity, **4**(2): 11
temperature coefficient of reactivity, **4**(2): 11
Reactors (Zoé) (France), neutron-absorption cross-section measurements, **4**(1): 20
Reactors (ZPR-III), criticality studies, **5**(2): 1-2; **5**(3): 6-7; **6**(3): 80
step tests, **4**(2): 25
Reactors (ZPR-VII), critical experiments, **5**(4): 16
Rectangular channels
See Channels (rectangular)
Refueling, Piqua Power Reactor, **5**(4): 59
Shippingport Pressurized-Water Reactor, **4**(2): 52-8
Sodium Modular Reactor, **4**(3): 94
Remote power plants
See Power plants (remote)
Resonance absorption, **6**(3): 79-80
Resonance integrals, measurement, **5**(4): 19-20
Rods
See also Control rods; Fuel elements (rods)
boiling burnout, **6**(1): 16-18
cooling with mercury, **4**(3): 15-16
Rubidium chloride–cesium chloride–lithium chloride–sodium chloride systems
See Cesium chloride–lithium chloride–rubidium chloride–sodium chloride systems

S

SADE
See Superheater Advance Demonstration Experiment (SADE)
Safety, **5**(2): 22-32
containment for Indian Point Power Reactor, **6**(3): 39
criticality hazards, **4**(4): 13-14; **5**(1): 6
Experimental Boiling-Water Reactor, **4**(3): 59
Failed-Element Detection and Location System, **6**(3): 49
guide, **4**(4): 13-14
metal-water reactions, **4**(1): 37-42
overpower protection system in Shippingport Pressurized-Water Reactor, **6**(2): 66
pressure suppression, **6**(3): 27
radiation from power reactors, **4**(1): 43
Ravenswood Power Reactor containment, **6**(3): 21-6
Yankee Power Reactor, **4**(3): 47
Saline water conversion, reactor application, **4**(1): 2
Samarium, flux hardening effects, **4**(1): 11
reactivity-worth burnup, **4**(4): 42
Samarium compounds, evaluation for reactor control applications, **6**(3): 15
Samarium hexaboride, **4**(4): 44
Samarium oxide–gadolinium oxide systems
See Gadolinium oxide–samarium oxide systems
Santowax OM coolant, **6**(1): 65
Santowax OM-2 coolant, **6**(1): 65
radiation effects, **5**(3): 57
Santowax OMB coolant
See also Polyphenyls
gas removal, **4**(2): 84-8
purification, **4**(2): 82-3
Santowax OMP coolant, **6**(1): 65
radiation effects, **5**(3): 57
reactor cooling, **5**(1): 88
stability under reactor conditions, **6**(3): 71-2
Santowax R
See also Terphenyl coolant
pyrolysis, **5**(3): 52
radiation effects, **5**(3): 52-6, 57
reactor cooling, **5**(1): 88
stability under reactor conditions, **6**(3): 70-2
Santowax R–uranium lattices
See Uranium–Santowax R lattices
Savannah Reactor
See Reactors (N. S. *Savannah*)
Savannah River Plant, design, **5**(4): 1-5
Savannah River Production Reactors
See Reactors (Savannah River Production)
Saxton Power Reactor
See Reactors (Saxton Power)
SCDMR
See Reactors (Steam-Cooled Heavy-Water-Moderated (SCDMR)
SCFBR
See Reactors (Steam-Cooled Fast-Breeder Reactor) (SCFBR)
SCOTT-R
See Reactors (Supercritical Once-Through Tube) (SCOTT-R)
SDR
See Reactors (SNAP Developmental) (SDR)
Seals, BORAX-V superheater, **4**(3): 83
Experimental Gas-Cooled Reactor, **5**(1): 82-3
Gas-Cooled Reactor Experiment I, **5**(1): 82-3
Hallam Power Reactor, **4**(2): 60-1; **4**(4): 55
leakage in Calder Hall Reactors, **4**(3): 69-70
Maritime Gas-Cooled Reactor, **5**(1): 82-3
pump, **5**(3): 35-7
turbine shaft, **5**(3): 37
Seals (freeze), Hallam Power Reactor, **4**(2): 60; **4**(4): 55
Seed-blanket reactors
See Reactors (seed-blanket)
Seed-blankets, analysis, **4**(3): 38-41
SELNI (Italy) Power Reactor
See Reactors [SELNI (Italy) Power]
SENN (Italy) Power Reactor
See Reactors [SENN (Italy) Power]
Separate Superheater Reactor
See Reactors (Separate Superheater) (SSR)
SER
See Reactors (SNAP Experimental) (SER)
17-4 CuMo alloy, nuclear superheater applications, **5**(4): 38
SGR
See Reactors (Hallam Power)
Shielding, **4**(2): 34-7; **4**(3): 36-7; **4**(4): 32-3; **5**(3): 27-30; **5**(4): 28
calculations, **6**(3): 83-4
Dresden Power Reactor, **4**(4): 67-8
effectiveness of N. S. *Savannah* Reactor, **6**(3): 84-5
Elk River Power Reactor, **5**(2): 46
Experimental Breeder Reactor II, **6**(3): 85-6
Indian Point Power Reactor, **6**(3): 40
N. S. *Savannah* Reactor, **6**(1): 53
Parr Shoals Power Reactor, **6**(4): 81
Pathfinder Power Reactor, **6**(3): 84
SL-1 Reactor, **4**(1): 68
Yankee Power Reactor, **4**(3): 54
Ship propulsion reactors
See Reactors (marine)
Shippingport Pressurized-Water Reactor
See Reactors (Shippingport Pressurized-Water)
Ships, nuclear propulsion studies, **6**(1): 81-4; **6**(4): 106-17
Shock-resistant structures
See Structures (blast-resistant)
Silicon, reactions with uranium carbides, **4**(1): 46
Silicon-aluminum systems
See Aluminum-silicon systems
Silicon carbide, compatibility with gaseous coolants, **5**(3): 61
Silicon-molybdenum-uranium systems
See Uranium-molybdenum-silicon systems
Silver, corrosion in Yankee Power Reactor, **6**(4): 82
evaluation for control applications, **6**(3): 82
Silver alloys, corrosion by water, **6**(2): 53
Silver-cadmium alloys
See Cadmium-silver alloys
Silver-cadmium-indium alloys
See Cadmium-indium-silver alloys
Sintering, fuel elements, **5**(1): 67
Sioux Falls Reactor
See Reactors (Pathfinder Power)
Sizewell Reactors (UK)
See Reactors (Sizewell) (UK)
SL-1 Reactor
See Reactors (SL-1)
Slip velocity, determination, **4**(2): 26

SM-1 Reactor
See Reactors (SM-1)
SM-1A Reactor
See Reactors (SM-1A)
SM-2 Reactor
See Reactors (SM-2)
Small power reactors
See Reactors (small power)
SNAP Critical Assembly
See Reactors (SNAP Critical Assembly)
SNAP Developmental Reactor
See Reactors (SNAP Developmental) (SDR)
SNAP Experimental Reactor
See Reactors (SNAP Experimental) (SER)
SNG code, neutron cross-section calculation, **6**(4): 47
neutron-flux calculation, **6**(4): 40
Sodium (liquid), boiling, **5**(4): 26
carbon, removal from, **5**(4): 74
pool boiling, **6**(1): 20-1
reactions with uranium carbides, **4**(1): 46
service system for Hallam Power Reactor, **5**(3): 46, 48
stainless-steel corrosion, **5**(4): 73
valve design for containing, **4**(4): 54-6
zirconium corrosion, **5**(4): 73
Sodium bisulfate process, corrosion of reactor materials, **4**(3): 44
Sodium chloride–cesium chloride–lithium chloride–rubidium chloride systems
See Cesium chloride–lithium chloride–rubidium chloride–sodium chloride systems
Sodium-cooled reactors
See Reactors (sodium-cooled)
Sodium Graphite Reactor
See Reactors (Hallam Power); Reactors (Sodium, Experiment) (SRE)
Sodium graphite reactors
See Reactors (sodium graphite)
Sodium iodide, entrainment in water, **5**(4): 30
Sodium Modular Reactor
See Reactors (Sodium Modular)
Sodium-potassium alloys (liquid), reactions with uranium carbides, **4**(1): 46
Sodium Reactor Experiment
See Reactors (Sodium, Experiment) (SRE)
SOFOCATE computer code, **5**(2): 2, 4, 6
Solid-gas systems, heat transfer, **4**(3): 16-17; **6**(1): 22-3
SPAN-3 computer code, **5**(4): 28
Special Power Excursion Reactor Test
See Reactors (SPERT)
Spectral Shift Control Reactor
See Reactors (Spectral Shift Control) (SSCR)
SPERT reactors
See Reactors (SPERT)
Spheres, heat transfer, **5**(3): 22-4
hydrodynamic characteristics, **5**(3): 22-4
SPPR
See Reactors (Supercritical Pressure Power) (SPPR)
Spray-cooled reactors
See Reactors (spray-cooled)
Spray cooling
See Cooling systems (spray)
Square fuel channels
See Channels (square)
SRE
See Reactors (Sodium, Experiment) (SRE)
SSCR
See Reactors (Spectral Shift Control) (SSCR)
SSR
See Reactors (Separate Superheater) (SSR)
Stainless steel, application in supercritical water reactors, **4**(2): 81
coextrusion with Zircaloy, **6**(2): 51-3
corrosion, by ammonium citrate process solutions, **4**(3): 45
by carbon oxides, **4**(3): 43-4
by carbon monoxide–hydrogen systems, **4**(3): 43-4
by oxalic acid process solutions, **4**(3): 45
by phosphoric acid process solutions, **4**(3): 45
by sodium (liquid), **5**(4): 73
by sodium bisulfate process solutions, **4**(3): 44
by water, **6**(2): 53
nuclear superheater applications, **5**(4): 36-8
neutron absorption, **5**(1): 5-6
physical properties, **6**(3): 17-18
radiation effects, **5**(1): 70; **5**(3): 33; **5**(4): 35-6
reactions, with rare earths, **6**(3): 15
with uranium carbides, **4**(1): 46
stress corrosion, **6**(2): 50-1
Stainless steel (304), failure in heat exchangers, **5**(1): 76-7
radiation effects, **5**(1): 70
Stainless steel (304L), failure in heat exchangers, **5**(1): 76-7
Stainless steel (308), radiation effects, **5**(1): 70
Stainless steel (boron), radiation effects, **5**(3): 33
Stainless-steel–boron systems
See Boron–stainless-steel systems
Stainless-steel–uranium oxides (UO_2) cermets
See Uranium oxides (UO_2)–stainless-steel cermets
Stationary Low-Power Plant No. 1
See Reactors (SL-1)
Steam, aluminum corrosion, **5**(4): 40
beryllium corrosion, **5**(4): 40
condensation, **5**(3): 18-19
contamination in Experimental Boiling-Water Reactor, **4**(1): 54
cooling properties, **5**(4): 26
corrosion, of borides, **4**(4): 43, 44
of boron, **4**(4): 44
of boron carbide, **4**(4): 44
of boron nitride, **4**(4): 43, 44
of pipes, **4**(3): 65-6
corrosive effects in nuclear superheaters, **4**(3): 72-4
heat transfer in superheated, **4**(2): 19-20
niobium-vanadium alloy corrosion, **5**(3): 32
reactions, with uranium carbides, **4**(1): 47
with uranium carbide–zirconium carbide systems, **4**(1): 52
with zirconium, **4**(1): 38-9
separation from water, **4**(3): 81, 82; **6**(2): 69-74
superheater cooling, **4**(3): 13-15
Zircaloy-2 corrosion, **5**(3): 31-2; **5**(4): 40
Zircaloy-4 corrosion, **5**(3): 32
zirconium corrosion, **5**(4): 40
zirconium-iron-nickel alloy corrosion, **5**(3): 32
Steam (saturated), heat transfer, **5**(2): 18-19
Steam (superheated), heat transfer, **4**(2): 19-20; **5**(1): 12; **5**(3): 20
thermal conductivity, **4**(2): 19
viscosity, **4**(2): 19
Steam-Cooled Fast-Breeder Reactor
See Reactors (Steam-Cooled Fast-Breeder) (SCFBR)
Steam-Cooled Heavy-Water-Moderated Reactor
See Reactors (Steam-Cooled Heavy-Water-Moderated) (SCDMR)
Steam-cooled reactors
See Reactors (steam-cooled)
Steam cycles, efficiency, **4**(4): 47-9
Steam flow, tubes, **5**(1): 13
Steam generators, circulation, **5**(1): 13
corrosion in Shippingport Pressurized-Water Reactor, **5**(4): 69
Elk River Power Reactor, **5**(2): 44
Hallam Power Reactor, **5**(3): 45, 47
once-through design, **5**(3): 13
Parr Shoals Power Reactor, **6**(4): 77
temperature distribution, **5**(1): 13
Steam plants, Dresden Power Reactor, **4**(4): 66
Steam separators, **6**(2): 69-74
Steam void, measurement, **5**(2): 19
Steam-water systems, burnout characteristics, **5**(3): 15-18
flow, **4**(4): 28-9, 31
flow characteristics, **6**(2): 24-5
flow stability, boiling effects, **5**(2): 12-14
heat transfer, **5**(1): 15-17
pressure drop in flow, **5**(2): 19
pressure-wave propagation, **4**(4): 31
Steel, coatings, nondestructive testing, **5**(1): 71
compatibility with aluminum, **4**(1): 1-2
corrosion by water, **4**(1): 2
radiation effects, **4**(2): 46; **5**(3): 33; **5**(4): 34-6
reactions with uranium carbides, **4**(1): 46
Steel (boron), impact tests, **4**(4): 46
Steel (carbon), corrosion, by ammonium citrate process solutions, **4**(3): 45
by COD (S-4) process solutions, **4**(3): 45
by nitric acid process solutions, **4**(3): 45
by oxalic acid process solutions, **4**(3): 45
by phosphoric acid process solutions, **4**(3): 45
by sodium bisulfate process solutions, **4**(3): 44
corrosion rates, **4**(2): 49-50
decontamination, **4**(2): 49-50
reactor applications, **4**(2): 49-50
Steel (chromium-molybdenum), corrosion by carbon monoxide, carbon monoxide–carbon dioxide systems, and carbon monoxide–hydrogen systems, **4**(3): 43-4
Steel (mild), corrosion by water, **6**(2): 53
Steel (stainless)
See Stainless steel
Steel spheres, heat transfer, **5**(3): 23
hydrodynamic characteristics, **5**(3): 23
Stellite alloy, corrosion by nitric acid process solutions, **4**(3): 45
Structures (blast-resistant), reactor containment, **5**(1): 35-6
Subcritical assemblies
See Reactors (name of subcritical assembly)
blanket-element composition determination, **5**(1): 1
Sulfur foils
See Foils (sulfur)
Supercritical carbon dioxide
See Carbon oxides (CO_2) (supercritical)
Supercritical fluids
See Fluids (supercritical)
Supercritical Once-Through Tube Reactor
See Reactors (Supercritical Once-Through Tube) (SCOTT-R)
Supercritical Pressure Power Reactor
See Reactors (Supercritical Pressure Power) (SPPR)
Supercritical water
See Water (supercritical)
Supercritical water reactors
See Reactors (supercritical water)
Superheat reactors
See Reactors (superheat)
Superheated steam
See Steam (superheated)
Superheater Advance Demonstration Experiment (SADE), materials, **5**(4): 37-8
superheater studies, **4**(3): 74-5
Superheaters, Hallam Power Reactor, **5**(3): 46
shutdown, **4**(3): 13-15
Superheaters (nuclear), **4**(1): 71-3; **4**(2): 19-20; **4**(3): 71-85; **6**(2): 75-80; **6**(4): 97-105
See also Reactors (BONUS); Reactors (Byeloyarsk) (USSR); Reactors (Elk River Power); Reactors (Pathfinder Power)
critical experiments, **6**(2): 12-16
design, **6**(4): 97-105
materials, **5**(4): 36-9
spray-cooled reactors, **4**(1): 75-6; **4**(4): 24-5
Surface testing, nondestructive testing applications, **5**(1): 73
Swaging, fuel elements, **5**(1): 63

SWAKRAUM code, neutron-flux calculations, 6(4): 40

T

Tables, neutron age, 5(1): 7
Tankers, nuclear propulsion, 4(3): 87
Tanks
See Moderator tanks
Tantalum, reactions with uranium carbides, 4(1): 46
Terbium oxide, reactivity worth, 4(4): 40
Terphenyls
See also Coolants (organic)
boiling heat transfer, 4(4): 82
chemical structure, 6(1): 64
properties, 4(4): 77-8
radiation effects, 5(3): 57
reactions with uranium carbides, 4(1): 47
stability under reactor conditions, 6(3): 70-2
Thermal breeder reactors
See Reactors (thermal breeder)
Thermal conductivity, 5(1): 10; 5(2): 9-10; 6(2): 17-18
calculations, 5(4): 22-3
fuel elements, 4(2): 41; 5(4): 22-3
gadolinium oxide, 6(3): 15-16
gadolinium oxide–samarium oxide systems, 6(3): 15-16
glass beads, 5(3): 22-3
graphite, 5(4): 39-40
helium, 5(3): 69
mathematical analysis, 4(2): 13
perforated solids, 4(4): 19-20
superheated steam, 4(2): 19
thorium carbide, 4(1): 48
thorium oxide, 4(1): 53
uranium-aluminum alloys, 4(1): 61
uranium carbides, 4(1): 50
uranium-graphite systems, 4(1): 61-2
uranium-magnesium alloys, 4(1): 61
uranium oxide (UO_2), 4(1): 50; 4(2): 38-43; 4(4): 22-3; 5(2): 9-10; 5(4): 22-3; 6(2): 17-18; 6(3): 4-5, 12-15
uranium oxide (UO_2)–calcium oxide–zirconium oxide systems, 5(1): 67
uranium oxide (UO_2) (stainless-steel-clad), 5(4): 22-3
Thermal converter reactors
See Reactors (thermal converter)
Thermal effects, 4(2): 26-8
Thermal expansion, graphite, 5(4): 40
uranium carbides, 4(1): 50
uranium dioxide, 4(1): 50
Thermal insulation, gas-cooled reactors, 5(3): 68-9
Thermal-neutron diffusion parameters, 4(1): 16-17
Thermal neutrons
See Neutrons (thermal)
Thermal radiation, 5(1): 10
heat transfer, 4(2): 20
Thermal reactors
See Reactors (thermal); specific reactors
Thermal Test Reactor
See Reactors (Thermal Test)
Thermal testing, nondestructive testing techniques, 5(1): 73
THERMOS computer code, 5(4): 16
neutron-flux calculations, 6(4): 40
Thinbles (fuel)
See Fuel elements (thimbles)
Thorium, corrosion by water, 6(2): 53
Doppler coefficients, 4(1): 12-14; 4(4): 15-16
radiation effects, 5(4): 18-19
resonance integrals, 5(4): 20
Thorium-232, conversion to U^{233}, 6(4): 1-4
neutron cross sections, 5(2): 7
resonance integrals, 6(1): 5
Thorium (irradiated), radioactivity, 4(4): 37
reactivity, 4(4): 37-8; 5(4): 18-19
Thorium carbides, physical properties, 4(1): 48
Thorium-cycle reactors
See Reactors (thorium-cycle)
Thorium-graphite systems, resonance absorption, 6(3): 79-80
Thorium oxide, age to indium resonance in water–heavy-water mixtures, 6(1): 5-6
Doppler coefficients, 4(4): 15-16
thermal conductivity, 4(1): 53
Thorium oxide–uranium oxide (UO_2) systems
See Uranium oxide (UO_2)–thorium oxide systems
Thorium oxide–uranium oxide (UO_2)–heavy-water lattices
See Uranium oxide (UO_2)–thorium oxide–heavy-water lattices
Thorium oxide–uranium oxide (UO_2)–water lattices
See Uranium oxide (UO_2)–thorium oxide–water lattices
Thorium oxide–uranium systems
See Uranium–thorium oxide systems
Thorium-plutonium alloys
See Plutonium-thorium alloys
Thorium-uranium alloys
See Uranium-thorium alloys
Thorium Uranium Physical Experimental Program, critical experiments, 4(1): 22-3
THUD program, critical experiments, 5(4): 16
Tin, shielding applications, 4(2): 34
Tin (liquid), reactions with uranium carbides, 4(1): 46
Tin-zirconium alloys
See Zirconium-tin alloys
Titanium, corrosion by water, 6(2): 53
reactions with uranium carbides, 4(1): 46
Titanium-aluminum alloys
See Aluminum-titanium alloys
Titanium boride (TiB_2), corrosion by steam, 4(4): 44
radiation effects, 4(4): 44
solubility in boiling water, 4(4): 43
Titanium-niobium alloys
See Niobium-titanium alloys
Topsy Critical Facility
See Reactors (Topsy Critical Facility)
Transient analysis, 4(2): 28-30
Transient boiling
See Boiling (transient)
Transient Reactor Test Facility
See Reactors (TREAT)
Transport equation, 6(4): 39-41
Trawsfynydd Reactors (UK)
See Reactors (Trawsfynydd) (UK)
TREAT Reactors
See Reactors (TREAT)
Tubes
See also Channels; Fuel elements (tubes); Pressure tubes
burnout, 4(3): 21-4; 4(4): 28; 5(1): 19-20; 5(3): 16-17
burnout flow conditions, 5(2): 18
cooling with mercury, 4(3): 15-16
criticality effects of aluminum, 4(2): 11
criticality effects of Zircaloy-2, 4(2): 11
fabrication of Zircaloy-2, 4(3): 42
fluid flow, 5(1): 12, 13
heat transfer, 5(1): 13; 5(3): 21
nondestructive testing of Zircaloy, 6(2): 53
subcooled nucleate boiling in forced convection, 6(1): 15-16
Tubes (horizontal), heat transfer, 4(1): 27-9
Tungsten, reactions with rare earths, 6(3): 15
Tungsten alloys, neutron reflection, 4(3): 10
TUPE
See Thorium Uranium Physical Experimental Program
Turbines, failure in Shippingport Pressurized-Water Reactor, 5(4): 69
design of gas, 6(1): 79
inspection of Experimental Boiling-Water Reactor, 4(3): 56-7
shaft seals, 5(3): 37
SL-1 Reactor, 4(1): 69
Yankee Power Reactor, 4(3): 55
Two-phase flow
See Fluid flow (two-phase); Gas-liquid systems; Slurry flow; Steam-water systems

U

Ultrasonics, nondestructive testing techniques, 5(1): 72
Unified Modular Reactors
See Reactors (Unified Modular) (UNIMOD)
UNIMOD
See Reactors (Unified Modular) (UNIMOD)
United States coal reserves, 4(2): 1-3
Ulyanovsk Reactor (USSR)
See Reactors (Ulyanovsk) (USSR)
Uranium, analysis, 5(1): 71
background neutron source in new reactors, 4(1): 17-19
buckling measurements, 4(2): 11-12
Canadian reserves, 4(2): 1-2
corrosion by water, 6(2): 53
criticality studies on beryllium oxide-moderated, 4(2): 10
Doppler coefficients, 4(1): 12-14; 4(4): 14-15
European reserves, 4(2): 1-2
fission-gas release, 4(1): 54-5
fuel-element applications in organic reactors, 4(1): 58
fuel elements (tubes), aluminum-clad, 5(1): 4
neutron reflection, 4(3): 10
prices, official AEC, 4(4): 1-2
radiation effects, 4(1): 54-5; 5(3): 31; 5(4): 40-1
reactions with water, 4(1): 40-1
resonance absorption in heavy-water lattices, 6(3): 79-80
resonance integrals, 4(1): 16; 5(4): 19-20
thermal-neutron distribution in heavy-water-moderated, 4(2): 10-11
U. S. reserves, 4(2): 1-3
Uranium (aluminum-clad), buckling measurements on tubes, 5(2): 1
criticality studies, 5(4): 16, 17
exponential experiments, 5(3): 8
Uranium carbides (UC), development for fuel elements, 6(2): 43-4
Uranium (depleted), neutron reflection, 4(3): 9-10
prices, 5(4): 5-7
Uranium (enriched), background neutron source in Zircaloy-2-clad, 4(1): 17-19
cost factors, 4(1): 3-5
criticality, 4(3): 9; 5(3): 7
neutron reflection, 4(3): 10
prices, official AEC, 4(4): 1-2; 5(4): 5-7
Uranium (highly enriched), criticality, 4(3): 7
Uranium (irradiated), analysis of breeding blankets, 5(1): 1
Uranium (Lucite-clad), buckling measurements, 4(3): 5
Uranium (Magnox-clad), heat transfer, 5(3): 12-13
Uranium (niobium-clad), melting in fast reactors, 5(2): 31
Uranium (stainless-steel-clad), melting in fast reactors, 5(2): 30-1
radiation effects, 5(4): 41
Uranium (tantalum-clad), melting in fast reactors, 5(2): 31
Uranium (Zircaloy-2-clad), heat transfer, 4(4): 19-20
radiation effects, 5(4): 41
Uranium-233, breeding ratio, 4(1): 7-8
neutron age to indium resonance measurements in water, isoamyl alcohol, cyclohexanone, benzyl alcohol, toluene, formic

Uranium-233 (Continued)
acid, and a mixture of organic compounds, 4(1): 20-1
neutron cross sections, 5(2): 6, 7
production from Th^{232}, 6(4): 1-4
Uranium-234, neutron cross sections, 5(2): 7
Uranium-235, criticality, 5(1): 6; 6(1): 4; 6(2): 14-15
fission ratio to U^{238}, 5(2): 2
flux hardening effects, 4(1): 11-12
neutron cross sections, 5(2): 6, 7
neutron production per fission in U^{238}, average, 4(1): 19
nuclear properties, 4(3): 4
radiation effects, 4(4): 86
resonance fission integrals, 4(4): 13
resonance to thermal capture ratio, 5(2): 2
Uranium-236, neutron cross sections, 5(2): 7
Uranium-238, cadmium ratios of wire, 4(2): 11
conversion to plutonium, 6(4): 1-4
conversion ratio, 5(2): 2
fission ratio to U^{235}, 5(2): 2
neutron production per fission of U^{235} atom, average, 4(1): 19
nuclear properties, 4(3): 4
resonance capture integrals, 4(1): 16; 4(4): 13; 6(1): 5
resonance to thermal capture ratio, 5(2): 2
Uranium-239, gamma activity from decay at 74 kev, 4(1): 16
breeding ratios, 4(4): 91-4
Uranium alloys, fabrication costs, 4(4): 5
radiation effects, 4(4): 84-5
Uranium-238–plutonium-239 systems, breeding ratios, 4(4): 91-4
Uranium-aluminum alloys, radiation effects, 4(4): 84-5
physical properties, 4(1): 61
Uranium-aluminum alloys (aluminum-clad), burnout, 4(1): 38
Uranium-beryllium alloys, physical properties, 4(1): 61-2
Uranium-biphenyl lattices, exponential lattices, 5(3): 8
Uranium carbide, breeding ratios, 4(1): 51-2
chemical reactions, 4(1): 45-7
criticality studies, 4(1): 51
development for reactor fuels, 4(1): 45-56
fabrication, 4(1): 50-1
Hallam Power Reactor fuel elements, 4(3): 91
mechanical properties, 4(1): 48
physical properties, 4(1): 48
preparation, 4(1): 50-1
radiation effects, 4(1): 48-50
thermal conductivity, 4(1): 50
thermal expansion, 4(1): 50
Uranium carbide (UC) (enriched), reactivity, 5(2): 1-2
Uranium carbide–plutonium carbide systems, fuel-element applications, 5(1): 51
heat-transfer characteristics, 4(1): 51
Uranium carbide–zirconium carbide systems, reactions with water and steam, 4(1): 52
Uranium chlorides, reactions with kerosene, 4(1): 47
Uranium-graphite systems, buckling measurements, 4(3): 5
critical experiments, 5(4): 15
exponential measurements, 5(3): 8
mechanical properties, 4(1): 48
neutron spectra, 5(3): 9-10
nondestructive testing, 5(1): 71
physical properties, 4(1): 61-2
Uranium–heavy-water lattices, critical experiments, 5(4): 16, 17
exponential experiments, 5(3): 7-8
Uranium-magnesium alloys, physical properties, 4(1): 61
Uranium-molybdenum alloys, application in Plutonium-Fuel Fast-Breeder Reactor, 4(4): 94
breeding ratios, 4(1): 51-2
criticality studies, 5(1): 5-6, 51
exponential studies, 5(2): 3
fuel-element applications in organic reactors, 4(1): 58
fuel elements for Hallam Power Reactor, 5(3): 41-2
heat-transfer characteristics, 4(1): 51
radiation effects, 4(1): 60; 5(3): 31
reactions with water, 4(1): 40-1
sodium graphite reactor fuel elements, 4(3): 90
Uranium-molybdenum alloys (stainless-steel-clad), melting in fast reactors, 5(2): 30-1
Uranium-molybdenum-aluminum alloys, fuel elements for Piqua Power Reactor, 5(4): 51-2
radiation effects, 4(1): 60
Uranium-molybdenum-aluminum alloys (aluminum-clad), fabrication, 4(1): 60
Uranium-molybdenum-silicon systems, radiation effects, 4(1): 60
Uranium-niobium alloys, physical properties, 4(1): 61-2
Uranium oxide (UO_2), application as fuel in BR-5 Reactor (USSR), 4(4): 85
application as fuel in Rapsodie Reactor (France), 4(4): 85
breeding ratio, 4(1): 7
buckling measurements, 4(2): 11
burnup, 5(3): 2-5
compatibility with gaseous coolants, 5(3): 61
criticality constants of cylinders in water lattices, 4(4): 11-12
criticality in heavy water, 6(3): 82
development for fuel plates, flat, 6(2): 44-5
differential scattering cross sections, 6(2): 11
Doppler coefficients, 4(4): 15-16
fission-gas release, 4(1): 65
fuel elements, 4(1): 75-8; 4(3): 47-8; 4(4): 85; 5(1): 54-67
fuel elements, fabrication costs, 4(4): 5; 5(3): 3
operating transients in fuel rods, 5(2): 22-4
powder compaction, 6(1): 26-37
radiation effects, 4(1): 65; 4(2): 41; 5(1): 56-62, 66-7
removal from cooling systems, 5(4): 45-6
resonance integrals, 4(1): 16; 5(4): 19-20
sintering, 6(2): 42-3
thermal conductivity, 4(1): 50; 4(2): 38-43; 4(4): 22-3; 5(1): 58, 63-5; 5(2): 9-10; 5(4): 22-3; 6(2): 17-18; 6(3): 4-5, 12-15
thermal expansion, 4(1): 50
Uranium oxide (UO_2) (aluminum-clad), criticality, 4(3): 4
Uranium oxide (UO_2) (enriched), criticality studies, 5(1): 4-5
temperature coefficient of reactivity for seven-rod cluster, 4(1): 15
Uranium oxide (UO_2) (enriched) (stainless-steel-clad), reactivity, 5(2): 2-3
Uranium oxide (UO_2) (irradiated); reactivity, 5(2): 6
Uranium oxide (UO_2) (stainless-steel-clad), criticality, 4(2): 10; 4(3): 5
thermal conductivity, 5(4): 22-3
Uranium oxide (UO_2) (Zircaloy-2-clad), buckling studies, 5(2): 3; 5(3): 6-7
fabrication, 4(2): 67-70
NPD-2 Reactor fuel elements, 4(2): 65
Uranium oxide–beryllium oxide systems (UO_2-BeO) (Hastelloy-X-clad), criticality 4(4): 12
Uranium oxide–calcium oxide–zirconium oxide systems (UO_2-CaO-ZrO_2), fuel elements, 5(1): 67
Uranium oxide (UO_2)–heavy-water lattices, buckling measurements, 5(3): 6, 7
criticality measurements, 5(3): 7
Uranium oxide (UO_2)–heavy-water–water lattices, criticality studies, 5(4): 17
Uranium oxide–stainless-steel cermets (UO_2-S.S.), application as fuel in Enrico Fermi Fast-Breeder Reactor, 4(4): 85
criticality studies, 5(4): 15-17
thermal conductivity, 5(4): 22-3
Uranium oxide–thorium oxide–heavy-water lattices (UO_2-ThO_2-D_2O), critical experiments, 5(4): 16
Uranium oxide–thorium oxide–heavy-water–water lattices (UO_2-ThO_2-D_2O-H_2O), critical experiments, 5(4): 17
Uranium oxide (UO_2)–thorium oxide systems (UO_2-ThO_2), criticality studies, 4(3): 7
fission-gas release, 4(1): 52-3
fuel elements in Elk River Power Reactor, 5(2): 33-5
radiation effects, 4(1): 52-3
Uranium oxide–thorium oxide systems ($U^{235}O_2$-ThO_2), exponential experiments, 5(3): 7
Uranium oxide–thorium oxide–water lattices (UO_2-ThO_2-H_2O), critical experiments, 5(4): 16
Uranium oxide–uranyl nitrate systems [UO_3-$UO_2(NO_3)_2$], critical experiments, 5(4): 15
Uranium oxide–water lattices (UO_2-H_2O), critical experiments, 5(4): 15
Uranium-plutonium alloys, criticality experiments, 4(4): 12-13
Uranium-plutonium systems (U^{238}-Pu^{235}), breeding effects, 4(4): 91-4
Uranium–plutonium carbide systems, application in Plutonium-Fuel Fast-Breeder Reactor, 4(4): 94
Uranium–Santowax R lattices, exponential lattices, 5(3): 8
Uranium–stainless-steel alloys, application in Plutonium-Fuel Fast-Breeder Reactor, 4(4): 94
Uranium-thorium alloys, radiation effects, 3(3): 31
Uranium–thorium oxide systems, fabrication costs, 4(4): 5
Uranium-water lattices, buckling measurements, 5(3): 7
heat transfer, 4(4): 19-20
Uranium-zirconium alloys, physical properties, 4(1): 61-2
radiation effects, 5(3): 31
Uranium-zirconium alloys (Zircaloy-clad), Heavy-Water Components Test Reactor fuel elements, 4(2): 65
Uranium-zirconium alloys (zirconium-clad), burnout, 4(1): 38
criticality measurements, 4(1): 23-4
neutron activation distribution measurements, 4(1): 23-4
Uranyl nitrate–heavy-water systems, criticality, 4(3): 7
Uranyl nitrate–uranium oxide systems *See* Uranium oxide–uranyl nitrate systems [UO_3-$UO_2(NO_3)_2$]
Uranyl nitrate–water systems, criticality measurements, 4(1): 23
USSR, criticality experiments on organic-moderated reactors, 4(1): 23

V

Vallecitos Boiling-Water Reactor *See* Reactors (Vallecitos Boiling-Water) (VBWR)
Vallecitos Experimental Superheat Reactor *See* Reactors (Vallecitos Experimental Superheat) (VESR)
Valves, design for Hallam Power Reactor, 4(4): 54-6; 5(3): 45
leakage in Calder Hall Reactors, 4(3): 69-70
leakage in heavy-water reactors, 4(4): 70-3
stem leakage, 5(3): 37-8
Valves (butterfly), gas-cooled reactor applications, 4(1): 66-7

Vanadium diboride, corrosion by steam, 4(4): 44
solubility in boiling water, 4(4): 43
Vanadium-niobium alloys
See Niobium-vanadium alloys
Vapor recovery systems, Experimental Boiling-Water Reactor, 4(2): 59
Variable-Moderator Reactor
See Reactors (Variable-Moderator) (VMR)
VBWR
See Reactors (Vallecitos Boiling-Water) (VBWR)
Vena contracta, effect on heat-transfer coefficient, 4(2): 20
Veronezh Reactor (USSR)
See Reactors (Veronezh) (USSR)
Vessels (pressure)
See Pressure vessels
Vibration compaction
See Compaction
VMR
See Reactors (Variable-Moderator) (VMR)
Voids, distribution calculation, 5(1): 20
VULCAIN
See Reactors (VULCAIN)

W

Waste disposal, 5(4): 49-50
Piqua Power Reactor, 5(4): 56-9
Shippingport Pressurized-Water Reactor, 5(4): 70
Waste-disposal systems, Dresden Power Reactor, 6(2): 62
Water, aluminum alloy corrosion, 5(3): 33
aluminum corrosion, 5(3): 32-3
beryllium corrosion, 5(2): 48
contamination in Shippingport Pressurized-Water Reactor, 6(3): 51-5
corrosive effects, 6(2): 53
criticality effects, 5(2): 1
decontamination in pressurized-water reactors, 4(3): 44-6
fission-product entrainment, 5(4): 39
heat transfer, 5(2): 10-12
moderating properties, 4(3): 4; 5(1): 7
purification, 4(4): 65; 5(1): 77; 5(2): 43; 6(1): 52-3; 6(3): 38, 51-5
radiolysis in boiling-water reactors, 6(4): 92-4
reactions, with uranium, 4(1): 40-1
with uranium carbide–zirconium carbide systems, 4(1): 52
with Zircaloy, 4(1): 37; 5(3): 31-2
removal from helium, 5(4): 78
rethermalization properties, 5(2): 3-4, 5
separation from steam, 4(3): 81, 82
swirl flow, 6(1): 21-2
thermal-neutron diffusion, 4(1): 16-17
Water (pressurized), heat transfer, 5(1): 10-12; 5(4): 24
Water (supercritical), heat transfer, 5(3): 20
technology, 4(2): 80-1
Water-air systems
See Air-water systems
Water-cooled and -moderated reactors
See Reactors (Water-cooled and-moderated)
Water–heavy-water systems
See Heavy-water–water systems
Water-purification systems, Dresden Power Reactor, 4(4): 65
Indian Point Power Reactor, 6(3): 38
N. S. *Savannah* Reactor, 6(1): 52-3
Shippingport Pressurized-Water Reactor, 6(3): 51-5
Water-steam systems
See Steam-water systems
Water-uranium lattices
See Uranium-water lattices
Water vapor
See Steam
Welds, radiation effects on stainless-steel, 5(1): 70
Wet steam
See Steam (saturated)
Wolfram
See Tungsten

X

X-ray fluorescence, nondestructive testing applications, 5(1): 71
X rays
See Radiation (X)
Xenon, entrainment in water, 5(4): 30
removal from helium, 5(4): 76
Xylene, reactions with uranium carbides, 4(1): 47

Y

Y-12 Plant, criticality accident, June 1958, 4(2): 29
Yankee Power Reactor
See Reactors (Yankee Power)
Yttrium boride (YB_3), corrosion by steam, 4(4): 44
radiation effects, 4(4): 44
Yttrium boride (YB_6), corrosion by steam, 4(4): 44
radiation effects, 4(4): 44
solubility in boiling water, 4(4): 43

Z

ZEBRA
See Reactors (ZEBRA) (UK)
ZEEP Reactor
See Reactors (ZEEP) (Canada)
Zero Power Reactor VII
See Reactors (ZPR-VII)
Zero Power Reactor III
See Reactors (ZPR-III)
Zinc (liquid), reactions with uranium carbides, 4(1): 46
Zinc sulfide, entrainment in water, 5(4): 30
Zircaloy alloy, coatings, nondestructive testing, 5(1): 71
coextrusion with stainless steel, 6(2): 51-3
corrosion by organic coolants, 6(1): 71
evaluation for reactor use, 6(2): 47-8
reactions, with steam, 4(1): 38-9
with water, 4(1): 37
tubing, nondestructive testing, 6(2): 53
Zircaloy-2 alloy, autoclave testing, 4(2): 48-9
cladding for uranium dioxide fuel elements, 5(1): 57, 66-7
corrosion, 4(3): 44-5; 5(1): 69; 5(3): 31-2; 5(4): 40; 6(3): 16-17
criticality effects of tubes, 4(2): 11
evaluation for fuel-element cladding, 5(1): 69-70
fabrication into tubing, 4(3): 42; 5(2): 50
fuel-element applications, 5(1): 82
heat transfer, 4(4): 19-20
mechanical properties, 5(1): 69-70
physical properties, 6(3): 16-17
radiation effects, 4(3): 42-3; 5(1): 70; 5(4): 40; 6(2): 67
reactions, with uranium carbides, 4(1): 46
with water, 4(1): 40-1
Zircaloy-2 alloy (irradiated), corrosion, 5(3): 32
evaluation of pressure tubes, 6(2): 67
Zircaloy-4 alloy, corrosion, 5(3): 32
evaluation for fuel-element cladding, 5(1): 69-70
Zirconium, corrosion, 4(3): 45; 5(4): 40, 73
data manual, 6(2): 47
evaluation for reactor use, 6(2): 47-8
fuel-element applications, 5(1): 82
radiation effects, 5(1): 70
reactions, with steam, 4(1): 38-9
with uranium carbides, 4(1): 46
shielding properties, 4(2): 36
Zirconium alloys, corrosion, 5(3): 31-2; 6(2): 53
Zirconium carbide, compatibility with gaseous coolants, 5(3): 61
Zirconium carbide–uranium carbide systems
See Uranium carbide–zirconium carbide systems
Zirconium boride (ZrB_2), corrosion by steam, 4(4): 44
radiation effects, 4(4): 44
solubility in boiling water, 4(4): 43
Zirconium hydride, moderator for nuclear superheaters, 4(3): 83
Zirconium-iron-nickel alloys, corrosion, 5(3): 32
Zirconium-niobium alloys
See Niobium-zirconium alloys
Zirconium oxide, compatibility with gaseous coolants, 5(3): 61
Zirconium oxide–calcium oxide–uranium dioxide systems
See Uranium oxide–calcium oxide–zirconium oxide systems (UO_2-CaO-ZrO_2)
Zirconium-tin alloys
See also Zircaloy
radiation effects, 5(1): 70
Zirconium-uranium alloys
See Uranium-zirconium alloys
Zoé Reactor
See Reactors (Zoé)
ZPR-III
See Reactors (ZPR-III)
Zyglo solution, reactions with uranium carbides, 4(1): 47